



S U M M E R R A N G E

SUMMARY

1
Inspirations
8 – 21

2
Collections
22 – 37

3
Garlands
38 – 53

NEW IDEAS FOR SUMMER













SUMMER COLLECTION

Our range of ecoresponsible decorations

Protecting the planet: not just an option - our duty.

Our R&D department is constantly looking for ethical materials for the design of our structures. Having been the first to make LEDs the norm, to recycle our garlands, we are now revolutionize our illuminations thanks to BioPrint - a recyclable and biodegradable material.

The eco-design of our decorations as a priority.

Our 2D decorations are equipped with a recycled and recyclable aluminium frame designed to support the structure and printed with our wide-format printers in Bioprint. The 100% LED lighting components are recycled after use and are all interconnected with the Octoplus system.

These brand new eco-responsible materials allow us to remove more than 80% of aluminium from our 2D motifs, which has a substantial impact on our carbon footprint.


Indeed, our Bioprint or manufacturing process emits 10 times less CO2 than aluminium.

Eco-responsibility is at the heart of our strategy. Now and more than ever. And we are committed to constantly thinking about innovations and ethical materials to create beautiful and magical things, while protecting the planet and people.



BIOPRINT RECYCLABLE AND BIODEGRADABLE STRUCTURE

The lighting components are wired onto a structure entirely made from our revolutionary new eco-responsible material, available in different colours.



RECYCLED ALUMINIUM FRAME

We use this aluminium frame and its sleek design to support the **Bioprint** structure. The aluminium used to manufacture all of our decorations **is then collected and processed by a certified body.**

Bioprint

A recyclable and biodegradable biomaterial made from sugar cane

Bioprint designs are made from biosourced GMO-free sugar cane which is turned into dehydrated bioethanol at a French laboratory. When the granules arrive at our workshops in Apt, France, they are dyed with our own colours. The material is then injected into our 3D printers which produce colourful, biodegradable and recyclable structures.

A process that reduces the waste at the manufacturing stage and allows total recyclability at the end of its life..

“Biodegradation” means **the decomposition of organic matter by microorganisms, with no harmful effect on the natural environment.** Our decorations biodegrade slowly at the end of their life – **they can be installed outdoors for long periods without this causing aesthetic or mechanical damage.** One advantage of this slowness is that **it minimises the greenhouse gases generated** when the complex molecules that make up our revolutionary material biodegrade.

While industrial composting is one way to sensibly manage this biomass, **the ecofriendliest approach is to recycle the material.** By doing this, daily waste production can be minimised.



Bioprint granule decomposition stages



RECYCLABLE &
BIODEGRADABLE



ORGANICALLY
SOURCED




CERTIFIED AS
GMO-FREE



RESISTANCE








2D vegetal suspensions



ITL140



ITL139



ITL141

Reference	Description	Colour	Height	Width
ITL139	vege1		1m	0,45m
ITL140	vege2		1m	0,45m
ITL141	vege3		1,40m	0,70m


product info

Our Bioprint decorations are 100% recyclable and biodegradable.

These clean dyed ceiling lights come in different colours, giving streets and facades a colourful touch whether lit or unlit.




Other ideas





2D marine suspensions



ITL143

ITL144

ITL145

ITL146

Reference	Description	Colour	Height	Width
ITL143	marin1	●	0,80m	0,80m
ITL144	marin2	●	0,90m	1,45m
ITL145	marin3	●	1m	0,54m
ITL146	marin4	●	0,76m	1m

product info

Our Bioprint decorations are 100% recyclable and biodegradable.

These clean dyed ceiling lights come in different colours, giving streets and facades a colourful touch whether lit or unlit.



Other ideas





2D suspensions



ITL147




ITL148




ITL149



ITL150



ITL151



ITL152

Reference	Description	Colour	Height	Width
ITL147	flower1		0,80m	0,80m
ITL148	flower2		0,80m	0,80m
ITL149	flower3		0,80m	0,80m
ITL150	flower4		0,80m	0,80m
ITL151	flower5		0,80m	0,90m
ITL152	cloud		0,80m	1,20m

product info

Our Bioprint decorations are 100% recyclable and biodegradable.

These clean dyed ceiling lights come in different colours, giving streets and facades a colourful touch whether lit or unlit.





3D suspensions




ITGL119




ITGL124
ITGL125




ITGL126



ITGL120




ITGL122
ITGL123



ITGL121

Schematic diagram of all the ceiling lights presented on this double page:



Front view



Side view

Reference	Description	Colour	Height	Width	Depth
ITGL119	summer love	●	0,60m	0,60m	0,46m
ITGL124	sphere vege1	○	0,50m	0,50m	0,26m
ITGL125	sphere vege2	○	0,80m	0,80m	0,40m
ITGL126	sphere flower	●	0,80m	0,80m	0,40m
ITGL120	sphere vege3	●	0,80m	0,80m	0,40m
ITGL122	sphere vege4	●	0,50m	0,50m	0,26m
ITGL123	sphere vege5	●	0,80m	0,80m	0,40m
ITGL121	sphere vege6	●	0,50m	0,50m	0,26m




3D suspensions



ITGL127



ITGL128



ITGL129

Reference	Description	Colour	Height	Width	Depth
ITGL127	umbrella	●	1m	0,80m	0,80m
ITGL128	butterfly	●	0,74m	1m	0,74m
ITGL129	vasque	●	1,20m	0,80m	0,80m


GARLANDS



Sparklight® Led+ garlands static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... see page 44-45



◆	LED	P (W)	📏	□	■
20,00 m	160 ○	11,5	100m	FL590-B+	FL590+
20,00 m	160 ●	11,5	100m	FL590W-B+	FL590W+
20,00 m	160 ●	11,5	100m		FL590BL+
20,00 m	160 ●	11,5	100m		FL590R+
1,50m	230V power supply cable	690W max - see p44-45		FY08-B+	FY08+
0,30m	bridge rectifier	690W max - see p44-45		FY043A-B+	FY043A+
0,20m	bridge rectifier	230W max - see p44-45		FY041A-B+	FY041A+


product info

Blachere exclusive
- Protected model
- High brightness
- Shock resistant IK06
- Long lifespan
- Homogeneous colour
- IP 66/69 protection rating.
Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range

2 YEARS GUARANTEE
conditions : contact us



Nostalgia XL suspended bulbs



► set of 4 bulbs

			micro LED	FLASH	P (W)	
2,00 m	2,00 m	ø 28 cm - H 50 cm	400	200	8	FL930BB

60 cm suspension
and safety wire



product info

Ideal for tree decorations or suspended on ropes, these oversized bulbs also twinkle.



A very trendy retro effect !

Available in packs of 4 bulbs that come with a transformer.

Aluminium lamp cap (stainless).



Hanging balls with animations



► set of 5 spheres

		animation		P (W)	
3,00 m	1,20 m	flickering effect	5 ø 20 cm	15	FL920LU
3,00 m	1,20 m	random colour change	5 RGB ø 20 cm	24	FL920M

product info

Ideal for tree decorations or suspended on ropes.

Simulate the warm light of candles with a new flickering animation.

A very trendy retro effect.

Set of 5 spheres.



Garlands with B22 sockets



► roll of garland with B22 sockets - Power supply not included

◆	description	cable section	B22
100 m	roll of garland 1 socket/m (100 sockets)	■ 2 x 1,5 mm ²	G098C
100 m	roll of garland 2 sockets/m (200 sockets)	■ 2 x 1,5 mm ²	G099C
100 m	roll of garland 3 sockets/m (300 sockets)	■ 2 x 1,5 mm ²	G100C
50 m	roll of garland 4 sockets/m (200 sockets)	■ 2 x 1,5 mm ²	G112C
50 m	roll of garland 5 sockets/m (250 sockets)	■ 2 x 1,5 mm ²	G113C
100 m	roll of garland 3 sockets/m (300 sockets)	□ 2 x 1,5 mm ²	G100C-B

► garlands with B22 sockets - Power supply included

◆	description	cable section	B22
9 m	garland of 20 sockets	■ 2 x 1,5 mm ²	G1C
15 m	garland of 40 sockets	■ 2 x 1,5 mm ²	G2C

product info

Customise your garland with different bulbs suggested on p 199 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.

Ideal for your summer decorations, creating a festival atmosphere.



B22 & E27 bulbs



LDL B22/E27 range (registered design)



LDLH B22 SMD range



LDLFL-B22



In outdoor use, must be mounted on garland with B22 bulbs minimum IPX4 with waterproof seal fitted.



description	B22	E27	B22	B22
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm
voltage	230V	230V	230V	230V
intensity	3,68VA	3,68VA	3,68VA	-
wattage	16 mA max/ 0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W	3W
packing	set of 25	set of 25	set of 25	unit
use	outdoor	outdoor	outdoor	outdoor
pure white	LDL11-B22	LDL11-E27	LDLH11	-
warm white	LDL11W-B22	LDL11W-E27	LDLH11W	-
amber	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22
red	LDL13-B22	LDL13-E27	LDLH13	-
blue	LDL14-B22	LDL14-E27	LDLH14	-
green	LDL16-B22	LDL16-E27	LDLH16	-
pink	LDL18-B22	-	LDLH18	-

Low power consumption bulb - Note : use the appropriate power (20 mA i.e 5 VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.

product info

The LDL series is one classic of Blachère Illuminations. With a patented model, the specific position of the LEDs in the bulb creates a "filament effect" similar to former times incandescent bulbs. The polycarbonate bulb guarantees increased strength (IK06).

NEW : The LDLFL-B22 bulb recreates the flame effect, regardless the direction of assembly.



Led Projectors



PRJA-W / PRJA

► Rounded projectors for trees (set of 2)

dimensions	LED	voltage	P (W)	reference
180 x 55 x 24 mm	6X○	24V	2 x 6W	PRJA
180 x 55 x 24 mm	6X●	24V	2 x 6W	PRJA-W
switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24V
elastic strap for PRJA-W and PRJA projectors				FYSDOW
protective and adhesive foam (set of 10)				FY-MOUS

► Led projectors (set of 3)

transformer	LED	spacing between projectors	voltage	P (W)	packing	reference
included	○	1 m	230V/12V	12W	set of 3	PRJP-01+
included	●	1 m	230V/12V	12W	set of 3	PRJP-01W+



PRJP-01+ / PRJP-01W+

product info

Illuminate tree trunks or branches with our curved micro projectors! They may be small, but they are super powerful! Bright and elegant results, easy to set up. Totally safe for the public (24V) and trees (elastic fasteners + protective foam). Extensions and accessories p52-53

With these 3 projectors that come with a 230V/12V transformer, you can quickly and easily light up shrubs, bushes, planters, etc. Their stake means they can be easily planted in the ground.



230V Connections

Diagram/Picture	Description	Obs.		
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octopus connector	Euro	FY08+	FY08-B+
		UK	FY08-UK+	FY08-BUK+
		Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octopus connector (M+F)	1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Octopus extension 230V - HO5RN-F - 2x1mm ²	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2X5m)	FY01-10+	FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+



24V Connections

Diagram/Picture	Description	Obs.		
	1m extension PVC cord 24V Connectors M-C1/F-C2		FY01-PVC	FY01B-PVC
	2m extension PVC cord 24V Connectors M-C1/F-C2		FY02-PVC	FY02B-PVC
	5m extension PVC cord 24V Connectors M-C1/F-C2		FY05-PVC	FY05B-PVC
	2 output connector PVC 24V Connectors M-C1/F-C2		FY2-PVC	FY2B-PVC
	3 output connector PVC 24V Connectors M-C1/F-C2		FY3-PVC	FY3B-PVC
	230V -> 24V transformer with Octopus connector	10W max	FYPRTR9	FYPRTR9B



blachere illumination s.a.s – ZI les bourguignons – 84400 apt – france

France : +33 (0) 413 068 001 – clients@blachere-illumination.com

International : +33 (0) 413 068 002 – sales@blachere-illumination.com

www.blachere-illumination.com