WINTER 2026

Collection

blachere illumination



HEAD OFFICE & WORSHOP

Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 002

Mail : sales@blachere-illumination.com
Web : blachere-illumination.com

CONTACTS

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa - tél : +33 (0) 490 747 642
l.alves@blachere-illumination.com
Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Sandrine - tél : +33 (0) 490 747 396
s.cerda@blachere-illumination.com
Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

PHOTOGRAPHERS

- Camille Moirenc
- Peter Mason
- Irene Yrstad
- Eddy Olsen
- Sara Verdejo P.

Print • Groupe Prenant

ALL RIGHTS RESERVED

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.
All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.
Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

Get inspired at **blachere-illumination.com**

PEFC
10-31-1291
www.pefc-france.org

SUMMARY
catalogue

1 VOLUMES *& urbain* 14 - 77

2 SUSPENSIONS *collections* 78 - 163

3 STRING LIGHTS *& luminous curtains* 164 - 246

4 DECORATIONS 247 - 270

5 ACCESSORIES *& technical solutions* 271 - 293

- Height
- Length
- Width
- Voltage
- Weight
- Flash colour
- LED colour
- Print colour
- News
- Recycled bottles

our HISTORY

It all began in Apt, in the heart of Provence, in 1973. When Jean-Paul Blachère illuminated his first village, the smiles on the residents' faces were his confirmation that light has a unique magical power.

He then turned this experience into a profession, a passion and know-how that he passes on with love and respect for tradition.

We have now grown, delivering our decorations in over 80 countries, supported by our 600 members of staff in France and our 28 subsidiaries worldwide. We are proud to illuminate 70% of French districts with over 5,000 inhabitants and more than 1,000 towns and cities and 500 shopping centres worldwide.

Above all, we strive to do our job with the same passion as on the very first day.

The richness of our company comes from the experience gained through discussions, listening and the creative solutions provided for our customers.

When it comes to illuminations in Sweden, the United States, France or Mexico, the expectations are often different. The adaptability and professionalism of our local teams therefore ensure that we are able to meet the needs of each city and the culture of each country.

The ultimate aim, whatever the location around the globe, is to arouse emotions with our illuminations…



- **53 YEARS** OF HISTORY AND HERITAGE
- **1000 TOWNS ILLUMINATED** IN OVER 80 COUNTRIES
- **28 SUBSIDIARIES**

Blachere KNOW-HOW

For us, creation is key: it starts with a sketch, a drawing by hand, an idea, a dream… then our designers bring it to life in the form of light.

We are more than just manufacturers; we are passionate creatives with a single mission: to enthral the world by telling beautiful stories through fairytale designs, innovative decorations and magical luminous settings.

We are inspired by all that surrounds us, and by anything that could stir an emotion… Being creative is not mutually exclusive with professional expertise: this philosophy keeps us one step ahead and sets us apart from the crowd.
Thanks to our innovations, we are able to strike the right balance between age-old know-how and industrialisation.

This is demonstrated by the fact that we are the only company in our market to have received the **EPV living heritage company label.**

This distinction is awarded to companies with exceptional know-how, combining tradition and innovation.

From decorative ironwork to the most painstaking wiring, more than 7,000 made-to measure decorations take shape in our workshops in France and abroad each year: the "Haute Couture" of illuminations. In parallel, standard decorations from our summer and winter "Ready-to-wear" collections are printed using eco-friendly materials thanks to our fleet of twelve large-scale 3D printers in France and elsewhere.

Although our expertise was born in France over 50 years ago, we are delighted to now have five production sites in Europe, the Middle East and America, which allow us to deliver to countries around the world via local supply chains and to contend with the economic demands of the market.



- **15 000 DECORATIONS CRAFTED** EACH YEAR
- **5 PRODUCTION SITES** AROUND THE WORLD
- **500 PEOPLE IN OUR WORKSHOPS**

our SCHEMES


Londres, United Kingdom


Samobor, Croatia



Victoria Leeds, United Kingdom



Manchester, United Kingdom



Oslo, Norway



United Kingdom


Zadar, Croatia


Amsterdam, Netherlands


Newcastle, United Kingdom


Brezno, Slovakia

our dna, INNOVATION

Innovation informs every dimension of Blachere Illumination, from materials and manufacturing to light itself.

Our research and development efforts place eco-friendly innovation at the forefront of our response to evolving environmental challenges.

Over twenty years ago, we led the way in rolling out low-energy LED technology across our entire range.

Robotic 3D printing has enabled the in-house production of our eco-friendly materials – Bioprint, Recyprint, and Flexiprint – for over a decade. Our manufacturing processes are fully patented. This shift has led to a substantial reduction in our carbon footprint, driven by a marked decrease in the use of aluminium across our decorations.

Our innovations have enabled us to strike the right balance between traditional craftsmanship and industrial scale.

- **1987:** LIGHT WIRE PIONEERS
- **2002:** WIDESPREAD ADOPTION OF LED TECHNOLOGY
- **2016:** BIOPRINT INNOVATION
- **2021:** RECYPRINT INNOVATION
- **2024:** FLEXIPRINT INNOVATION
- **2025: OUR FIRST MADE IN EUROPE STRING LIGHT**

SPARKLIGHT® EUROPA

BY BLACHERE ILLUMINATION®

In 2025, a new challenge took shape: producing a high-quality string light at our Apt workshops in France, all without compromising our competitiveness. Full details on page 168.



BIOPRINT

Bioprint is a bio-based material derived from GMO-free sugarcane, transformed into dehydrated bioethanol under the supervision of a French laboratory. Bioprint is recyclable at end of life and remains biodegradable should it enter the natural environment. Biodegradation refers to the natural decomposition of organic matter with no adverse impact on the environment.

- **DERIVED FROM SUGARCANE**
- **100% BIODEGRADABLE AND RECYCLABLE**



RECYPRINT

Six hundred billion bottles are produced each year, many of which end up in our oceans. We made the decision to transform this waste into luminous decorative installations. PET bottles collected through recycling schemes are processed and then fed into our 3D printers to create decorative installations in a wide range of colours. To date, over nine million bottles have been given a second life as decorative installations.

- **MADE FROM RECYCLED PLASTIC BOTTLES**
- **100% RECYCLABLE**



FLEXIPRINT

Flexiprint is an innovative, flexible, and recyclable material made from industrial production waste, redefining the finishing of 3D installations with a distinctive and contemporary aesthetic.

- **MADE FROM RECYCLED PLASTIC**
- **100% RECYCLABLE**



our commitment to THE ENVIRONMENT

Illumination is only the starting point for us. Our commitment is to a beautiful, brighter, more responsible future.

Founded in 1973 in the midst of the oil crisis, the company has never ceased to innovate in order to respond creatively to new environmental challenges.

From the early adoption of LED technology to today's recyclable, eco-responsible materials, we continue to redefine the design and life cycle of our illuminated designs.

Our environmental commitment continues to deepen. From 2026, solar energy will supply up to thirty percent of the production needs for our eco-friendly materials at our Apt site. Another meaningful step in our journey towards sustainable innovation.



- **35 000 RECONDITIONNED DECORATIONS** EACH YEAR
- **9 MILLION** BOTTLES GIVEN A SECOND LIFE
- **80% REDUCTION** IN ALUMINIUM USED ACROSS OUR DECORATIONS

ENERGY SAVINGS

LOW-CONSUMPTION LEDS
All our displays, along with our garlands and projectors, are fitted with ultra-low-energy LEDs, using up to ten times less energy than traditional lighting.

THE SOLAR ENERGY ALTERNATIVE
To help you tackle environmental concerns both creatively and pragmatically, some of our designs can be fitted with solar panels, making them completely self-sufficient.

MANAGEMENT OF YOUR INSTALLATIONS
Smart energy management supports a broader vision of eco-responsible urban design. To ensure the optimal control of your illuminations, we offer a range of control units and fully integrated management systems, which are detailed in the accessories section at the end of the catalogue.

ECO-FRIENDLY MATERIALS

RECYCLED ALUMINIUM
The frames and supporting structures of our designs are made from aluminium, 70% of which is recycled.

DESIGNED FOR CIRCULARITY
Our eco-responsible materials allow us to reduce the amount of aluminium used in our designs, thereby lowering our carbon footprint.

Made from GMO-free bio-based sugar cane.
Biodegradable material.

Made from recycled plastic bottles.
Recyclable material.

Made from recycled plastic.
Recyclable material.

DURABILITY & RECONDITIONED

RECONDITIONED DECORATIONS:
Reconditioned installations: we offer our clients a wide range of fully refurbished installations, promoting a conscious and responsible approach without compromising on quality or value.

CLEAN END-OF-LIFE OF DESIGNS
At Blachere, we are committed to: the repair, re-use, collection, and processing of electrical and electronic equipment. Bioprint, Recyprint, and Flexiprint products are recyclable and are reused.







CSR at the heart of OUR APPROACH

Openness and honesty. Our CSR policy is a continuation of the expertise we have acquired over the last 50 years. We have always been committed to doing our job to the highest standards. Everything we create to illuminate the world must respect our planet and those who inhabit it.

This approach is reflected every day in the actions of our teams, in France and around the world.

«The goal is important, but the path you take to reach it matters even more,» as Jean-Paul Blachère taught us.

We are committed to creating a working environment that enables each employee to achieve their full potential. We endeavour to nurture, train, and support our staff, all while offering them opportunities to progress and learn.

Parity and equity are key to our success, and we are proud to have almost as many women as men in our teams.

As for social and professional integration, we offer a host of opportunities for people with disabilities and those who have been excluded from the workforce.

Launched in 2000, the United Nations Global Compact is the world's largest corporate social responsibility initiative. We have adhered to the Compact since 2023, and the principles of human rights, international labour norms, environmental protection, and the fight against corruption in all its forms are at the heart of our strategy.

French Fab, launched in 2017, is the French industry flagship. French Fab represents companies, economic players, institutions, and industrial sites located in France that are committed to developing French industry.

The certification highlights companies committed to the circular economy. It is awarded to manufacturers who incorporate recycled plastic materials into their production processes.

A commitment to inclusivity. A French community of companies committed to an inclusive society and a sustainable world, working to support human development, create shared value, and foster inclusive, sustainable growth.

The Coq Vert community is THE network committed to energy and ecological transition. This seal reflects our commitment to putting climate issues at the heart of our strategy.

the blachere FOUNDATION

Born from a passion for contemporary art and the African continent, our corporate foundation was established in 2004 by Jean-Paul Blachère and has since become Europe's first foundation dedicated to contemporary African art.

It supports contemporary artistic creation from Africa and promotes artists from the continent through its 400 m² arts centre in Bonnieux, in the heart of the Luberon.

Our foundation hosts exhibitions and welcomes artists living in France and Africa.
It takes part in major African Biennales, including that in Dakar.

Since its creation, the Foundation has supported more than five hundred artists, both women and men, emerging and famous, offering them a gateway into the wider world of contemporary art.

fondation Blachère

- **22 000 VISITORS** TO THE FOUNDATION IN 2025
- **22 YEARS** ROOTED IN PROVENCE
- **512 RESIDENT ARTISTS** HOSTED





VOLUMES
& urban

NEW COLLECTION

L'ODYSSÉE
Fantastique


The Fantastic Odyssey draws inspiration from the world of fairy tales and enchanted forests. A universe inhabited by magical creatures: owls guarding secrets, dainty fawns, giant mushrooms... each figure evokes the magic of a hidden world that reveals itself only to those who still dare to dream. Fairy-tale escapism, halfway between nature and fantasy.

FAIRY TALES
ENCHANTED FOREST
MAGICAL CREATURES
FAIRYTALE
NATURE














GX423L - AYA

1,56 m | 1,9 m | 0,84 m | 31 kg | 28W

FLASHY

NEW

GX426L - TOD

1 m | 1,3 m | 1 m | 21 kg | 20W

FLASHY

NEW

SC032RGB - PIA

2,30 m | 1,9 m | 32 kg | 112W

XLED-RGB

NEW

RGBWW : colour-changing

GX428RGB - ODYSSÉE RGB

5 m | 5 m | 5 m | 198 kg | 581W

XLED-STARS-RGB

NEW

RGBWW : colour-changing

GX427RGB - SLOW

2,2 m | 1,53 m | 0,72 m | 46 kg | 172W

STARS-FLASHY-RGB

NEW

RGBWW : colour-changing

GX425RGB - BIG TOD

1,6 m | 1,9 m | 1,6 m | 42 kg | 158W

FLASHY-RGB

NEW

RGBWW : colour-changing

GX424L - NAO

1,93 m | 1,5 m | 0,89 m | 37 kg | 30W

FLASHY

NEW

NEW COLLECTION

SANTA EXPRESS

The imaginary world of travel, great explorations and distant discoveries is the inspiration here. Old maps, compasses, trains, majestic ships, and propeller planes…
All symbols that evoke adventure and the promise of distant horizons. All set against the backdrop of winter enchantment, transforming each departure into a dazzling and magical tale.

TRAVEL
DISCOVERY
ADVENTURE
EXPLORATION

























GX434L - CHRISTMAS CARD
3 m | 2,16 m | 1,5 m | 61 kg | 134W
STARS

GX434L-UK - CHRISTMAS CARD EN
3 m | 2,16 m | 1,5 m | 61 kg | 134W
STARS

NEW

Customisation optional

flexi PRINT

GX193L - FLASH
2,35 m | 1,25 m | 0,96 m | 42,5 kg | 45W
FLASH-XLED-STARS

GX419L - CAPTAIN CHRISTMAS
2,2 m | 2,9 m | 1,36 m | 78 kg | 64 W
STARS-FLASH

NEW

flexi PRINT

GX421L - SANTA EXPRESS
2,7 m | 1,9 m | 1 m | 88 kg | 214W
XLED-STARS

NEW

flexi PRINT

GX420L - AIR SANTA
2,32 m | 1,55 m | 2,36 m | 60 kg | 176W
XLED-STARS

NEW

flexi PRINT

GX422L - CALYPSO
2,35 m | 2,3 m | 1,2 m | 43 kg | 65W
XLED-STARS

NEW

flexi PRINT

GX433L - SANTA CARD
3 m | 2,16 m | 1,5 m | 61 kg | 116W
XLED

GX433L-UK - SANTA CARD EN
3 m | 2,16 m | 1,5 m | 61 kg | 116W
XLED

NEW

Customisation optional

flexi PRINT

NEW COLLECTION

ROYAUME DES GLACES

Inspiration comes from the lands of the Far North, where snow becomes a setting and ice, a palace. Each animal embodies the fragile poetry of these frozen lands. Soft silhouettes, gentle expressions, and velvety textures inspire a tender and protective sense of wonder. Here, nature becomes a story, and every creature seems to step out of a snow globe, perfectly frozen in wintry glory, yet ready to come to life the moment they meet a dreamy gaze.


SNOW
PURITY
SILHOUETTES
SOFT CURVES
ICE











2 IN 1 PRODUCTS!
Dual color GX428DC (pure white/warm white)

GX429L - OLI SCENE
2,3 m | 1,9 m | 0,3 m | 30 kg | 70W
XLED- FLASHY
NEW

GX428DC - ODYSSÉE
3 m | 5 m | 3 m | 180 kg | 301W
XLED-STARS
NEW

GX431L - OLI
1,55 m | 1,25 m | 0,3 m | 16 kg | 30W
FLASHY
NEW

GX430L - PINGOO
1,68 m | 1,8 m | 0,3 m | 28 kg | 70W
FLASHY
NEW



GX356L - ICE

1,5 m | 1,8 m | 1 m | 19,5 kg | 25W

FLASH

GX346L - TIPI CRISTAL

1,2 m | 2,3 m | 1,2 m | 30 kg | 65W

FLASH

SL053W - KADO

0,8 m | 1,15 m | 0,8 m | 14 kg | 20W

GX354LW - LUX

3,6 m | 3,7 m | 130 kg | 165W

SOFT XLED

SL051W - FONTAIN CRISTAL

4 m | 2,8 m | 4 m | 63,4 kg | 145W

SOFT XLED

GX348L - SANTA CRISTAL

1,93 m | 2,9 m | 1,37 m | 66 kg | 40W

FLASH



GX347L - WIZZ CRISTAL
2,3 m | 1,2 m | 1,2 m | 69 kg | 85W
FLASH

GX344L - SCALA
2,9 m | 5 m | 2,9 m | 315 kg | 175W
FLASH

GX349L - FROST
2,55 m | 1,5 m | 1,05 m | 42 kg | 45W
FLASH

SL052W - DEMI ARCHE CRISTAL
1 m | 2,53 m | 1 m | 22,5 kg | 45W
FLASH

SL052W - DEMI ARCHE CRISTAL
1 m | 2,53 m | 1 m | 22,5 kg | 45W
FLASH

GX357L - CHRIS
1,5 m | 2,3 m | 1 m | 37,5 kg | 20W
FLASH

GX345L - CRISTAL
2,14 m | 3,14 m | 1,15 m | 47 kg | 70W
FLASH





SL053W - KADO

0,8 m | 1,15 m | 0,8 m | 14 kg | 20W

GX333L - HAPPY SANTA

2,5 m | 2,56 m | 1,5 m | 70 kg | 30W

FLASH

GX087L - LITTLE TEDDY CHIC

2 m | 2 m | 1,45 m | 54 kg | 46W

FLASH

GX265LW - LOLLIPOP

1,28 m | 2 m | 1,28 m | 31,5 kg | 50W

FLASH

GX163L - ELIOTT

2,02 m | 2,8 m | 1,25 m | 32 kg | 20W

FLASH





GX308L - LETTERBOX

0,9 m | 2 m | 0,9 m | 43,5 kg | 172W

STARS-FLASH

SV504A - DAVE A

1,6 m | 3,12 m | 1,6 m | 44,5 kg | 35W

FLASH

GX148L - MAX

1,8 m | 2,2 m | 1,37 m | 128,5 kg | 33W

FLASH

GX153L - CANDY SELFIE

1,9 m | 1,96 m | 1 m | 59 kg | 39W

STARS-FLASH

GX132L - MISTER XMAS

2,6 m | 3,6 m | 1,9 m | 97 kg | 74W

SL038W - KDO

0,9 m | 1,3 m | 0,9 m | 17,5 kg | 20W

SL038R - KDO

0,9 m | 1,3 m | 0,9 m | 17,5 kg | 20W





GX261LW - TRADI BOX
1,23 m · 1,9 m · 0,66 m · 32,5 kg · 60W
FLASH-STARS

GX093L - RENNOO
1,2 m · 2 m · 0,6 m · 52 kg · 18W
FLASH

GX092L - CUTE RENNOO
1,15 m · 2,2 m · 0,76 m · 99 kg · 18W
FLASH

SOCL43 - ASTRAL BOOTH
1,6 m · 2,2 m · 0,8 m · 20,4 kg · 25W

GX260LW - ELY
1,1 m · 1,5 m · 1 m · 7,1 kg · 20W
STARS

GX260L - ELY
1,1 m · 1,5 m · 1 m · 7,1 kg · 20W
STARS

SL038W - KDO
0,9 m · 1,3 m · 0,9 m · 17,5 kg · 20W

SL038R - KDO
0,9 m · 1,3 m · 0,9 m · 17,5 kg · 20W



1 INSTALLATION, 2 COLOURS OPTION!

The DUO COMÈTE installation (GX118DC) offers a choice of warm white or pure white. Reverse the connector to opt for either the pure white/pure white flash or warm white/warm white flash option.



GX151L - ROY

1 m | 2 m | 1 m | 27 kg | 17W

FLASH

SOCL47 - TRADI PHOTOBOOTH

1,75 m | 2,45 m | 0,8 m | 21,5 kg | 15W

FLASH

GX152L - ED

1,48 m | 2 m | 0,85 m | 27,5 kg | 12W

FLASH

GX194L - WIZZ

2,3 m | 1,2 m | 1,2 m | 82 kg | 79W

XLED-STARS-FLASH

GX118DC - DUO COMETE

2,18 m | 2,6 m | 1,2 m | 27,4 kg | 35W

FLASH



GX263L - THEODOR

0,66 m | 2,3 m | 0,9 m | 25,5 kg | 20W

FLASH

GX358L - ALEX

2,35 m | 3,74 m | 1,88 m | 71 kg | 50W

FLASH-STARS

GX102LW - XMAS TRAIN

3,55 m | 1,9 m | 1 m | 130 kg | 124W

FLASH-XLED

GX247L-A - BOX

1,7 m | 2,2 m | 0,9 m | 90,5 kg | 130W

STARS-XLED

GX264LW - BIGS

1,9 m | 1,6 m | 0,8 m | 67,5 kg | 75W

FLASH

GX244L - LOLITA

2,13 m | 2,3 m | 1,61 m | 53 kg | 55W

FLASH

GX267LW - CIRCUS

1,8 m | 3 m | 1,8 m | 81 kg | 160W

FLASH





GX262LW - YUMMY
1,3 m | 1,6 m | 0,3 m | 17 kg | 35W
FLASH

GX159L - DOUDOU
1,94 m | 2,1 m | 1,19 m | 39,5 kg | 28W
FLASH

GX248LR - SUGAR
0,8 m | 2 m | 0,8 m | 27,5 kg | 5W
FLASH

GX105L - TOMMY
2,5 m | 2,7 m | 2,2 m | 91 kg | 50W
FLASH

GX119L - ROMY
3 m | 4,5 m | 2,45 m | 81 kg | 29W

GX164L - WIZZ SANTA
3,8 m | 2,3 m | 1,2 m | 66 kg | 25W
FLASH

GX249L - RAYMOND
1,5 m | 2,2 m | 0,84 m | 37 kg | 20W
FLASH

GX118L - COMETE
2,18 m | 2,6 m | 1,2 m | 27,4 kg | 14W

GX249L-A - RAYMOND
1,5 m | 2,2 m | 0,84 m | 44 kg | 20W
INTERACTIVTE





GX086L - TEDDY CHIC

4,02 m | 4 m | 2,82 m | 157 kg | 208W

FLASH

GX086L-A - TEDDY CHIC

4,02 m | 4 m | 2,82 m | 172 kg | 248W

INTERACTIVITE-FLASH

TO ORDER
GX086L-A with presence detector

SL135W - ASTRAL ARCH

4,93 m | 3,75 m | 1 m | 88 kg | 80W

FLASH-XLED

GX133L - MISTER SANTA

1,76 m | 2,8 m | 1,4 m | 125 kg | 46W

SL037W - DEMI ARCHE COMETE

1,1 m | 2,9 m | 1 m | 24 kg | 20W

FLASH

SL045V - VERDE

2,25 m | 3 m | 2,25 m | 45,5 kg | 180W

XLED

GX098L - JOHN

1,5 m | 2,3 m | 0,9 m | 56 kg | 30W



GX262LW - YUMMY
1,3 m | 1,6 m | 0,3 m | 17 kg | 35W
FLASH

GX256LW - ANGEL
1,63 m | 1,83 m | 0,3 m | 21 kg | 55W
FLASH

GX257LW - CLEM
1,21 m | 1,49 m | 0,3 m | 17,5 kg | 30W
FLASH

GX172LW - JOSÉ
1,2 m | 2,15 m | 0,3 m | 15 kg | 40W
FLASH

GX259LW - CLEO
1,33 m | 1,5 m | 0,3 m | 21 kg | 50W
FLASH

GX245LW - MANALA
1,34 m | 1,88 m | 0,3 m | 19,5 kg | 45W
FLASH

GX258LW - KRYS
1,27 m | 1,17 m | 0,3 m | 17 kg | 55W
FLASH

GX258L - KRYS
1,27 m | 1,17 m | 0,3 m | 17 kg | 55W
FLASH

GX350LW - JOSE SCENE
2,35 m | 2 m | 0,5 m | 37 kg | 85W
XLED



GX145L - NOAH
2,27 m | 3 m | 1,84 m | 76 kg | 54W
FLASH

GX145L-A - NOAH ANIME
2,27 m | 3 m | 1,84 m | 100 kg | 54W
INTERACTIVITE-FLASH-XLED

TO ORDER
GX145L-A with buzzer

GX160L - PINGU
1,94 m | 2,08 m | 1,16 m | 51 kg | 20W
FLASH

SOCL42 - BLIZZARD PHOTOBOOTH
1,6 m | 2,2 m | 0,8 m | 18,5 kg | 25W

GX206L - BABY BEAR
1,4 m | 1,5 m | 1,3 m | 30,4 kg | 40W

GX205L - DADDY BEAR
2,2 m | 1,5 m | 0,7 m | 27 kg | 22W

GX149L - FROZEN LETTERBOX
1,1 m | 2 m | 1,1 m | 36 kg | 49W
STARS-FLASH

GX079L - ICE IGLOO
2,2 m | 1,5 m | 2 m | 55 kg | 64W
FLASH

GX147L - FOX
1,75 m | 2,2 m | 1,4 m | 37 kg | 20W
FLASH

GX184LW



GX184L



GX252L



GX252LW











2 IN 1 PRODUCTS! Dual color SL055DC (pure white/warm white)

GX184LW - GOLD ARCH

5,82 m | 3,47 m | 0,95 m | 115 kg | 100W

FLASH-FL900-COMETE

TO ORDER

SL136W - QUADRILLE ARCH

4,93 m | 3,75 m | 1 m | 81,5 kg | 60W

XLED-FL900E-FLASH

TO ORDER

GX184L - BLIZZARD ARCH

5,82 m | 3,47 m | 0,95 m | 115 kg | 100W

FLASH-FL900-COMETE

TO ORDER

SL136 - QUADRILLE ARCH

4,93 m | 3,75 m | 1 m | 81,5 kg | 60W

FLASH-FL900-COMETE

TO ORDER

GX252L - TRADI ARC

5,88 m | 4,58 m | 0,99 m | 382 kg | 568W

STARS-FL900-FLASH

TO ORDER

SL055DC - COSY ARCH

2,38 m | 2,95 m | 0,15 m | 52 kg | 11W

FLASHY

NEW

GX252LW - TRADI ARC

5,88 m | 4,58 m | 0,99 m | 382 kg | 568W

STARS-FL900-FLASH

TO ORDER

SL135W - ASTRAL ARCH

4,93 m | 3,75 m | 1 m | 88 kg | 80W

FLASH-XLED

TO ORDER



SL050R - LOVE ARCH

6,2 m | 4 m | 0,7 m | 219 kg | 150W

TO ORDER



GX154LW - LUMI

2 m | 4 m | 1,8 m | 171 kg | 135W

FLASH

GX070LR - TITAN

3,6 m | 3,9 m | 3,3 m | 235 kg | 260W


FLASH

TO ORDER



SL054RGB

PRE-PROGRAMMED LIGHT TUNNEL



GX432LR - VICTORIA
3,46 m | 3,73 m | 3,2 m | 213 kg | 256W
XLED-FLASHY
NEW

GX432LW - VICTORIA
3,46 m | 3,73 m | 3,2 m | 213 kg | 256W
XLED- FLASHY
NEW

GX155LW - ELIE
4 m | 4,22 m | 4 m | 386 kg | 382W
XLED-STARS-FLASH

SL054RGB - AURORA
5 m | 2,4 m | 3 m | 76 kg | 128W
RGB
NEW
TO ORDER

Comprising **4 RGBWW LED arches,** this tunnel forms an immersive installation with a total length of 5 m. **Animation is pre-programmed, ensuring a vivid and fully immersive visual experience. Simply plug it in and enjoy the show!**

SL051W

2,8 m



SL035W

2 m




2 m



SL044W


SL036

2,9 m




SL036W

2,9 m



SL037W

2,9 m



SL052W

2,53 m



SL051W - FONTAIN CRISTAL

4 m	2,8 m	4 m	63,4 kg	145W
SOFT XLED				

SL044W - ASTRAL FONTAIN

4 m	2 m	4 m	82 kg	120W
FLASH-COMETE				

SL035W - TATIANA

2,1 m	2 m	0,6 m	22,5 kg	60W
COMETE-FLASH				

SL036 - DEMI ARCHE FEU D'ARTIFICE

1 m	2,9 m	0,9 m	32 kg	21W
FLASH				

SL036W - DEMI ARCHE FEU D'ARTIFICE

1 m	2,9 m	0,9 m	32 kg	21W
FLASH				

SL037W - DEMI ARCHE COMETE

1,1 m	2,9 m	1 m	24 kg	20W
FLASH				

SL052W - DEMI ARCHE CRISTAL

1 m	2,53 m	1 m	22,5 kg	45W
FLASH				

GX327L



GX156LW





GX327LW

SL033W



SL033



1,4 m


SL032W



SL032



SL013W



SL013



1,3 m

SL012W



SL012



GX327L - BOULE XMAS

1 m | 1,1 m | 1 m | 6,6 kg | 25W

FLASH

GX327LW - BOULE XMAS

1 m | 1,1 m | 1 m | 6,6 kg | 25W

FLASH

GX156LW - SELFIE TREE

2,2 m | 2,47 m | 0,9 m | 53,5 kg | 15W

FLASH

SL033W - SYLVESTRE GM

2,5 m | 2,1 m | 8,8 kg | 45W

FLASH

SL013W - PROXIMA GM

3,5 m | 2 m | 6 kg | 45W

FLASH

SL033 - SYLVESTRE GM

2,5 m | 2,1 m | 8,8 kg | 45W

FLASH

SL013 - PROXIMA GM

3,5 m | 2 m | 6 kg | 45W

FLASH

SL032W - SYLVESTRE PM

1,4 m | 1,4 m | 1,65 m | 7,5 kg | 40W

FLASH

SL012 - PROXIMA PM

2,5 m | 1,3 m | 6,4 kg | 25W

FLASH

SL032 - SYLVESTRE PM

1,65 m | 1,4 m | 7,5 kg | 40W

FLASH

SL012W - PROXIMA PM

2,5 m | 1,3 m | 6,4 kg | 5W

FLASH

GX173L

5, 22 m



GX173LW



SL005W

5 m



1 INSTALLATION, 2 COLOURS OPTION!

The MINI MAGIC installation (GX266DC) offers a choice of warm white or pure white. Reverse the connector to opt for either the pure white/pure white flash or warm white/warm white flash option.


GX266DC

2,5 m



GX185LW

3,5 m



GX173L - MAGIC

5 m | 5,22 m | 5 m | 175 kg | 290W

SOFT XLED-FLASH

TO ORDER

GX173LW - MAGIC

5 m | 5,22 m | 5 m | 175 kg | 290W

SOFT XLED-FLASH

SL005W - BJORK TREE BLANC CHAUD

3,3 m | 5 m | 3,3 m | 205 kg | 100W

FLASH

GX266DC - MINI MAGIC

1,6 m | 2,5 m | 1,6 m | 28,5 kg | 90W

XLED

GX185LW - LINA

3,86 m | 3,53 m | 3,86 m | 60 kg | 140W

XLED



GX354L - LUX

3,6 m	3,7 m		130 kg	165W
SOFT XLED				

GX354LW - LUX

3,6 m	3,7 m		130 kg	165W
SOFT XLED				

GX355LW - GRACE TREE

2 m	2,4 m	2 m	34 kg	64W
SOFT XLED				

GX344L - SCALA

2,9 m	5 m	2,9 m	315 kg	175W
FLASH				

GX344LW - SCALA

2,9 m	5 m	2,9 m	315 kg	175W
FLASH				



SLED010W - MARINA

3,4 m | 7,5 m | 3,4 m | 152 kg | 265W

FLASH

TO ORDER

SND017 - GRAND VEGA FROZEN

2,2 m | 6,25 m | 2,2 m | 170 kg | 275W

STARS/FLASH

SV502W - CELESTE

1,9 m | 6 m | 1,9 m | 97 kg | 185W

FLASH

TO ORDER

SV302W - PETIT CELESTE

1,16 m | 3,5 m | 1,16 m | 34 kg | 70W

FLASH/STARS

SV502 - CELESTE

1,9 m | 6 m | 1,9 m | 97 kg | 185W

FLASH/STARS

TO ORDER

SV302 - PETIT CELESTE

1,16 m | 3,5 m | 1,16 m | 34 kg | 70W

FLASH/STARS

SV303W



SV303



SL048



SL049W



GX253LW



GX251L



GX251LW



SV303W - QUADRI TREE

1,16 m | 3 m | 1,16 m | 30 kg | 55W

FLASH/STARS

SV303 - QUADRI TREE

1,16 m | 3 m | 1,16 m | 30 kg | 55W

FLASH/STARS

SL048 - EMY

3 m | 5 m | 1,5 m | 74,5 kg | 150W

FLASH-STARS

TO ORDER

SL049W - JUDY

3 m | 5 m | 1,5 m | 70 kg | 75W

FLASH-STARS

TO ORDER

GX253LW - TOM

2,3 m | 5 m | 2,3 m | 282 kg | 120W

FLASH

TO ORDER

GX251L - BUBBLE

2,5 m | 5 m | 2,5 m | 245 kg | 135W

FLASH

TO ORDER

GX251LW - BUBBLE

2,5 m | 5 m | 2,5 m | 245 kg | 135W

FLASH

TO ORDER

SV301/SV501/SV1001



DECORATIONS
SOLD SEPARATELY

SV801W-P/SV1201W-P



DECORATIONS
SOLD SEPARATELY

SND022



SND019



SV507W



DESCRIPTION	HEIGHT	DIAMETER	VOLTAGE (W)	NBR OF LIGHTS POINTS	WEIGHT	NBR OF ELEMENTS		
CONICAL FIR TREE	3 m	1,18 m	24W	612 + 156 flashs	49 kg	3	SV501	SV301W
CONICAL FIR TREE	5 m	1,80 m	64W	1028 + 364 flashs	241 kg	7	SV501	SV501W
CONICAL FIR TREE	10 m	3,43 m	252W	6528 + 1664 flashs	985 kg	23	SV1001	SV1001W
CONICAL CROSSING FIR TREE	8 m	2,78 m	200W	4284 + 1092 flashs	585 kg	17	SV801-P	SV801W-P
CONICAL CROSSING FIR TREE	12 m	4,08 m	420W	10148 + 2587 flashs	1174 kg	39	SV1201-P	SV1201W-P
							TO ORDER	

SND022 - ROMANTIC

2,7 m | 8 m | 2,7 m | 315 kg | 300W

STARS-COMETE-FLASH

TO ORDER

SND019 - GRAND VEGA GREEN

2,2 m | 6,25 m | 2,2 m | 170 kg | 275W

STARS-XLED

SV507W - ALPS TREE

1,8 m | 5,4 m | 1,8 m | 125 kg | 200W

FLASH

SND021

SV504A


SL041W

SND018

GP158WF

GP1-400

GP1-600



SND021 - TEDDY

2,5 m | 5,5 m | 2,5 m | 172 kg | 325W

FLASH

TO ORDER

SV504A - DAVE A

1,6 m | 3,12 m | 1,6 m | 44,5 kg | 35W

FLASH

SL041W - NORDIKA 3D - ECO

2,4 m | 3 m | 2,4 m | 72 kg | 125W

SLOWGLOW

SND018 - VEGA GREEN

0,88 m | 2,7 m | 0,88 m | 25,5 kg | 30W

FLASH

GP158WF - SAPIN VERT PRE ILLUMINE

1,35 m | 2,1 m | 1,35 m | 18 kg | 25W

STARS/FLASH

GP1-400 - SAPIN VERT PRÉ ILLUMINÉ

4 m | 2,20 m | 87 W

FLASH | 0

NEW

GP1-600 - SAPIN VERT PRÉ ILLUMINÉ

6 m | 3,20 m | 87W

FLASH | 0

NEW



NORDIKA
as realistic as a natural one

Who doesn't love a fabulous Christmas tree? And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA.

Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Eco-friendly design of our Nordika product line
Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.



Optional treetop



Hyper realistic
Chistmas tree branches



Wood effect
stand available










NORDIKA
the Christmas tradition

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.



NAME	ø	⬍	ϟ	🏋	FLASHS	LED	NBR OF ELEMENTS	REFERENCES
Sapin Nordika - PM	3,56 m	5 m	245 W	263 kg	✳	**2 976** (1 488 steady + 1 488 with slowglow effect)	46	**GX081LW-2**
Sapin Nordika - MM	4,70 m	8 m	770 W	1 112 kg	✳	**8 664** (4 332 steady + 4 332 with slowglow effect)	107	**GX082LW**
Sapin Nordika - GM	5,90 m	12 m	1 870 W	2 750 kg	✳	**21 048** (10 524 steady + 10 524 with slowglow effect)	194	**GX083LW**



CELEBRATING 10 YEARS

To mark its tenth anniversary, our Christmas tree has undergone a transformation: a redesigned branch structure for a more harmonious silhouette, a deeper green hue, and an even more realistic look. An evolution born from our constant drive to innovate, offering an even more magical, fuller, and more radiant tree than ever before.

FREE STANDING NO NEED TO SECURE WITH WIRES

The Nordika is built on a robust internal framework that ensures its stability without the need for external cables or wires for balance.

TOTALY SAFE 24V

100% secure thanks to its 24V voltage across the entire tree.

INDOOR &OUTDOOR USE

Thanks to its weather-resistant structure and durable materials, it withstands outdoor conditions perfectly while remaining elegant and safe indoors.

PVC FREE

The recyclable polyethylene branches provide a natural appearance and an eco-friendly approach. This innovative material perfectly mimics the look of real branches while being durable and environmentally friendly.

PRE-LIGHTED WITH 100% LED SLOWGLOW EFFECT

No need to install string lights anymore: the tree comes pre-decorated and ready to shine.

CAN BE TOTALLY DISMANTLED

Transport and storage are also made easier.









ACCESSORIES
for NORDIKA

DECORATIVE BAUBLES KIT

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)
- 50% shiny /50% satiny

- 28 baubles ø 12 cm
- 20 baubles ø 20 cm
- 4 baubles ø 25 cm

COLOUR	REFERENCE
Silver	**KITNDK-A**
Blue	**KITNDK-B**
Gold	**KITNDK-O**
Red	**KITNDK-R**

NORDIKA - 5 M = *2 kits* - 104 baubles
NORDIKA - 8 M = *4 kits* - 208 baubles
NORDIKA - 12 M = *8 kits* - 416 baubles

BIOPRINT & RECYPRINT KIT

Each kit features 20 motives

- 8 motives ø 50 cm
- 12 motives ø 30 cm

REFERENCE	TYPE	COLOUR
KITNDK-F	Snowflake	Blue
		White
KITNDK-E	Star	Gold
		White

NORDIKA - 5 M = *2 kits* - 40 decorations
NORDIKA - 8 M = *4 kits* - 80 decorations
NORDIKA - 12 M = *8 kits* - 160 decorations

TREE TOPPER

These carefully designed toppers allow you to customise the top of your tree, giving it a unique and magical finish.



DESIGNATION	◆	REFERENCE
Cimier BELLA	1 m	**CIME2**
Cimier AIGUILLE	1 m	**CIME4**
Cimier MIA	1 m	**CIME6**
Cimier STAR7	0,80 m	**CIME7**

BASE

Stabilise and enhance your Nordika tree with our specially designed bases!



NORDIKA - 5 M = SOCLGX81
NORDIKA - 8 M = SOCLGX82
NORDIKA - 12 M = SOCLGX83

CIME2



CIME4



CIME6



CIME7





SUSPENSIONS
collections

ARTY

The ARTY collection is inspired by the refinement and purity of the Art Deco artistic movement.
We have elegantly mixed the geometric lines of this timeless artistic style with the traditional symbols of Christmas.
Flashes, diamond shapes and streamlined curves are accented with light, enabling us to create an extremely elegant and dynamic decoration that is equally beautiful day and night in your streets.

ART DECO
REFINEMENT
GEOMETRIC SHAPES
ELEGANCE
FLASH OF LIGHT
DROP BEADS























IPL337W



IPL336W



IPL335W



ITL338W



ITL338W + 2 GP303W

IPL337



IPL336



IPL335



ITL338



ITL338W + 2 GP303W

IPL337W - GATSBY BANNER

0,8 m	2,8 m		6,9 kg	40W
SLOWFLASH-SOFT XLED				52

IPL336W - GATSBY GRAND

0,9 m	2 m		6,6 kg	45W
SLOWFLASH-SOFT XLED				79

IPL335W - GATSBY

0,6 m	1,5 m		3,8 kg	30W
SLOWFLASH-SOFT XLED				37

ITL338W - GATSBY UNIT

0,75 m	1 m		3,1 kg	25W
SLOWFLASH-SOFTXLED				29

IPL337 - GATSBY BANNER

0,8 m	2,8 m		6,9 kg	40W
SLOWFLASH-SOFT XLED				52

IPL336 - GATSBY GRAND

0,9 m	2 m		6,6 kg	45W
SLOWFLASH-SOFT-XLED				79

IPL335 - GATSBY

0,6 m	1,5 m		3,8 kg	30W
SLOWFLASH-SOFT XLED				37

ITL338 - GATSBY UNIT

0,75 m	1 m		3,1 kg	25W
SLOWFLASH-SOFT-XLED				29



ITL338W



ITL338 + TSL2



IPL336W


IPL143W



IPL230W



IPL131W



ITL161W



ITL291W



ITL291W + 1 TSL2W

IPL143



IPL230



IPL131



ITL291



ITL291 + 1 TSL2

ITL336W



IPL143W - SERENADE

0,6 m | 1,5 m | 3,9 kg | 25W

STARS-SLOWFLASH-FLASH | 34

IPL230W - QUADRILLE ROLL

1 m | 1,3 m | 5 kg | 25W

XLED-STARS-FLASH | 45

IPL131W - QUADRILLE BANNER

0,8 m | 2,8 m | 9,7 kg | 50W

STARS-SLOWFLASH | 80

ITL161W - QUADRILLE CHAIN

6 m | 1,24 m | 25,5 kg | 90W

STARS-XLED-SLOWFLASH | 116

ITL291 - QUADRILLE UNIT

0,73 m | 0,8 m | 2,4 kg | 15W

SLOWFLASH-STARS-XLED | 26

IPL143 - SERENADE

0,6 m | 1,5 m | 3,9 kg | 25W

STARS-SLOWFLASH | 34

IPL230 - QUADRILLE ROLL

1 m | 1,3 m | 5 kg | 25W

XLED-STARS-FLASH | 45

IPL131 - QUADRILLE BANNER

0,8 m | 2,8 m | 9,7 kg | 50W

FLASH | 80

ITL291W - QUADRILLE UNIT

0,73 m | 0,8 m | 2,4 kg | 15W

SLOWFLASH-STARS-XLED | 26

ITL336W - GATSBY DOUBLE


4 m | 0,9 m | 13,2 kg | 90W

XLED-SLOWFLASH | 158

NEW



ITL336W + IPL335W



IPL144W - QUADRILLE GRAND
1 m | 3 m | 10,5 kg | 50W
STARS-XLED-SLOWFLASH | 93

IPL129W - QUADRILLE
0,9 m | 2 m | 7,6 kg | 40W
STARS-SLOWFLASH | 57

IPL130W - QUADRILLE PETIT
0,6 m | 1,2 m | 4 kg | 20W
STARS-SLOWFLASH | 33

ITL129W - QUADRILLE ARC
4 m | 1,2 m | 18 kg | 100W
STARS-SLOWFLASH | 132

ITL130W - QUADRILLE CURVE
3 m | 1 m | 15,1 kg | 80W
STARS-SLOWFLASH | 114

IPL144 - QUADRILLE GRAND
1 m | 3 m | 10,5 kg | 50W
STARS-XLED-SLOWFLASH | 93

IPL129 - QUADRILLE
0,9 m | 2 m | 7,6 kg | 40W
STARS-XLED-SLOWFLASH | 57

VL046 - LINE VL
2 m | 3 m | 2 m | 35,4 kg | 210W
XLED-FLASH | 235

ITL129 - QUADRILLE ARC
4 m | 1,2 m | 18 kg | 100W
STARS-SLOWFLASH | 132

ITL130 - QUADRILLE CURVE
5 m | 1 m | 15,1 kg | 80W
STARS-SLOWFLASH | 114







ITL101W



ITL101



ITL316W



ITL315



ITL315 + 1 TSL2W

ITL102W



PIX05B



ITL020W

ITL163



ITL233



ITL101W - GRAND MIA

2 m | 2 m | 18 kg | 150W

SLOWFLASH-STARS-XLED | 216

ITL102W - MIA

1 m | 1 m | 5,8 kg | 45W

SLOWFLASH | 73

PIX05B - XMAS PIX

0,9 m | 0,85 m | 2 kg

NEW

ITL316W - HEXA CHAIN

4 m | 1 m | 13 kg | 80W

FLASH-SOFT XLED

ITL163 - THORN CHAIN

6 m | 1,24 m | 26,5 kg | 115W

SLOWFLASH | 194

ITL101 - GRAND MIA

2 m | 2 m | 18 kg | 150W

SLOWFLASH | 216

ITL020W - GIVRE

0,85 m | 0,97 m | 4,5 kg | 40W

FLASH | 47

ITL315 - HEXA

0,85 m | 0,95 m | 2,3 kg | 20W

SLOWFLASH

ITL233 - QUADRILLE JF

4,5 m | 0,8 m | 15,1 kg | 105W

XLED-FLASH-STARS | 166

ITL101W + GP503W

Grace

The GRACE collection is inspired by Baroque style. Born in Italy in the 17th century, this artistic movement is characterised by its majestic ornamentation and arabesques, symbols that we have chosen to combine with more pared-back contemporary lines.
An essential element in Baroque style, the chandelier is available in several versions that you will find in these pages.


BAROQUE
ARABESQUES
CHANDELIERS
ELEGANCE
ORNAMENTATION
GILDING









IPL341W



IPL342W



IPL343W



PIX05W

ITL344W



ITL345W



ITL346W



ITL348W



ITL349W

IPL341W - ORNEMENTAL GRAND W

1 m	3 m		8 kg	54W
	SLOWFLASH			56

NEW

IPL342W - ORNEMENTAL W

0,95 m	2,3 m		7 kg	39W
	XLED-SLOWFLASH			47

NEW

PIX05W - ORNEMENTAL PIX

0,9 m	0,85 m		2 kg

NEW

ITL346W - ORNEMENTAL DOUBLE+ W

4,6 m	1,5 m		19 kg	106W
	XLED-SLOWFLASH			152

NEW

ITL348W - ORNEMENTAL DOUBLE W

4,6 m	0,95 m		14 kg	78W
	XLED-SLOWFLASH			96

NEW

IPL343W - ORNEMENTAL MOON W

0,9 m	2,3 m		8 kg	48W
	XLED-SLOWFLASH			56

NEW

ITL344W - ORNEMENTAL UNIT W

0,8 m	0,8 m		3 kg	15W
				20

NEW

ITL345W - ORNEMENTAL ARCADE W

4 m	1,2 m		19 kg	69W
	XLED-SLOWFLASH			106

NEW

ITL349W - ORNEMENTAL CHAIN W

6 m	1,2 m		14 kg	105W
	XLED			20

NEW


ITL345W + IPL343W


IPL341B


IPL342B


ITL345B


ITL346B


IPL343B


PIX05B

ITL344B


ITL348B


ITL349B

IPL341B - ORNEMENTAL GRAND

1 m | 3 m | 8 kg | 54W

SLOWFLASH | 56

NEW

IPL342B - ORNEMENTAL

0,95 m | 2,3 m | 7 kg | 39W

XLED-SLOWFLASH | 47

NEW

PIX05B - XMAS PIX

0,9 m | 0,85 m | 2 kg

NEW

ITL346B - ORNEMENTAL DOUBLE+

4,6 m | 1,5 m | 19 kg | 106W

XLED-SLOWFLASH | 152

NEW

ITL349B - ORNEMENTAL CHAIN W

6 m | 1,2 m | 14 kg | 105W

XLED | 20

NEW

IPL343B - ORNEMENTAL MOON

0,9 m | 2,3 m | 8 kg | 48W

XLED-SLOWFLASH | 56

NEW

ITL344B - ORNEMENTAL UNIT

0,8 m | 0,8 m | 3 kg | 15W

20

NEW

ITL345B - ORNEMENTAL ARCADE

4 m | 1,2 m | 19 kg | 69W

XLED-SLOWFLASH | 106

NEW


ITL348B - ORNEMENTAL DOUBLE

4,6 m | 0,95 m | 14 kg | 78W

XLED-SLOWFLASH | 96

NEW

ITL346B + IPL342B




IPL317R

IPL318R

IPL320R

IPL319R



IPL202W

IPL203W

IPL231W

ITL218W



ITL321R

ITL321R + 1 TSL2



ITL226W



ITL347B

ITL347W

IPL317R - DROP BANNER SLOWFLASH

0,8 m | 2,8 m | 12,1 kg | 60W

SOFT XLED | 140

TO ORDER

IPL318R - DROP GRAND SLOWFLASH

0,9 m | 2,3 m | 8,8 kg | 55W

SOFT XLED | 106

IPL320R - DROP PETIT SLOWFLASH

0,6 m | 1,5 m | 4,4 kg | 30W

SOFT XLED | 50

IPL319R - DROP ROLL SLOWFLASH

1 m | 1,3 m | 5,6 kg | 35W

SOFT XLED | 56

TO ORDER

ITL321R - DROP UNIT SLOWFLASH

1 m | 1 m | 5,1 kg | 35W

SOFT XLED | 69

ITL347B - ORNEMENTAL JF

4 m | 1,6 m | 33 kg | 198W

214

NEW

IPL202W - COIMBRA BANNER SLOWFLASH

0,8 m | 2,8 m | 12 kg | 60W

FLASH-XLED | 43

IPL203W - COIMBRA PETIT

0,6 m | 1,5 m | 4 kg | 20W

FLASH | 22

IPL231W - COIMBRA ROLL SLOWFLASH

0,9 m | 1,2 m | 4,5 kg | 30W

FLASH-XLED | 36

ITL218W - COIMBRA UNIT SLOWFLASH

1 m | 1 m | 3,8 kg | 30W

XLED-FLASH | 42

ITL226W - COIMBRA DOUBLE SLOWFLASH

4 m | 0,9 m | 14,5 kg | 80W

XLED-FLASH | 111

ITL347W - ORNEMENTAL JF W


4 m | 1,6 m | 33 kg | 198W

214


NEW

ITL321R + TSL2 + IPL320R

IPL267W



IPL266W




IPL265W



ITL266W



ITL165W



IPL031W



IPL268W



IPL082W



ITL077W



IPL267W - GRACE GRAND

1 m	3,5 m		11,5 kg	50W
SLOWFLASH-XLED				108

IPL266W - GRACE PETIT

0,9 m	2 m		6,5 kg	40W
SLOWFLASH-XLED				64

IPL265W - GRACE PETIT

0,6 m	1,5 m		3,7 kg	20W
STARS-XLED-SLOWFLASH				38

ITL266W - GRACE DOUBLE

4 m	0,9 m		12,7 kg	80W
SLOWFLASH-XLED				128

ITL077W - BOLCHOI

6 m	1,2 m		25,3 kg	160W
XLED-SLOWFLASH				235

IPL031W - MAZURKA

0,9 m	2 m		7,4 kg	55W
XLED-SLOWFLASH				53

IPL268W - GRACE ROLL

1,1 m	1,72 m		5,5 kg	35W
SLOWFLASH-XLED				47

IPL082W - LIBRETTO

0,6 m	1,2 m		3,5 kg	30W
XLED-SLOWFLASH				33

ITL165W - ILWAN

3 m	1 m		15,3 kg	105W
XLED-SLOWFLASH				141



IPL268W



IPL266W



IPL267W

ITGL170W



TGL169LW



ITGL100



PL362W



FLAMES EFFECT

ITGL170B



GX114LW



ITGL101W



TGL361W



FLAMES EFFECT

ITGL170W - SPIRIT

1,1 m | 1,85 m | 1,1 m | 18,5 kg | 40W

FLASH

TO ORDER

ITGL170B - SPIRIT

1,1 m | 1,85 m | 1,1 m | 18,5 kg | 40W

FLASH

TO ORDER

TGL169LW - BAROQUE

1,18 m | 1,4 m | 1,18 m | 26 kg | 135W

FLASH | 130

GX114LW - JAVA

1,2 m | 1,5 m | 1,2 m | 27 kg | 30W

FLASH | 78

ITGL100 - CADENCE

1,2 m | 1,5 m | 1,2 m | 17,5 kg | 55W

SLOWFLASH | 153

ITGL101W - NOELIE

0,9 m | 0,95 m | 3,8 kg | 20W

SLOWFLASH | 38

PL362W - LUSTRE PRAGA 2D

0,6 m | 1,12 m | 6 kg | 15W

SLOWFLASH

NEW

TGL361W - LUSTRE PRAGA 3D

1,2 m | 1,12 m | 1,16 m | 34 kg | 79W

SLOWFLASH


NEW



ITLG170W



ITGL101W




TGL169LW

IPL362W



IPL363W



ITL364W




ITL365RGB

LIGHTS RGBWW



IPL365RGB



LIGHTS RGBWW

IPL366RGB



LIGHTS RGBWW

ITL366RGB

LIGHTS RGBWW



IPL362W - GINKO

0,9 m | 2,3 m | 8 kg | 26W

SLOWFLASH | 113

NEW

IPL365RGB - ODYSSÉE PETIT

0,9 m | 2 m | 5 kg | 36W

RGB | 26

NEW

RGBWW : colour-changing

IPL363W - GINKO GRAND

0,95 m | 2,3 m | 9 kg | 31W

SLOWFLASH | 113

NEW

IPL366RGB - ODYSSÉE

1 m | 3 m | 9 kg | 40W

RGB | 41

NEW

RGBWW : colour-changing

ITL364W - GINKO ARC

4 m | 1,2 m | 16 kg | 67W

SLOWFLASH | 228

NEW

ITL365RGB - ODYSSÉE DOUBLE

6 m | 1 m | 18 kg | 80W

RGB | 82

NEW

RGBWW : colour-changing

ITL366RGB - ODYSSÉE PETIT DOUBLE

4 m | 0,9 m | 9 kg | 72W

RGB | 52


NEW

RGBWW : colour-changing



IPL363W + ITL364W

IPL135



IPL311



IPL300B



ITL310



IPL135W



IPL311W



IPL300W



ITL310W



IPL135 - FLORA

1 m | 3 m | 13,3 kg | 70W

STARS-SLOWFLASH | 94

IPL311 - PLANT RING XMAS

0,6 m | 1 m | 0,6 m | 6 kg | 7W

FLASH

IPL300B - PLANT XMAS

0,25 m | 1,92 m | 0,42 kg

ITL310 - PLANT LINE XMAS

1,2 m | 0,8 m | 0,7 kg | 3W

FLASH

IPL135W - FLORA

1 m | 3 m | 13,3 kg | 70W

STARS-SLOWFLASH | 94

IPL311W - PLANT RING XMAS

0,6 m | 1 m | 0,6 m | 6 kg | 7W

FLASH

IPL300W - PLANT XMAS

0,25 m | 1,92 m | 0,42 kg

ITL310W - PLANT LINE XMAS

1,2 m | 0,8 m | 0,7 kg | 3W

FLASH



ITL310W



IPL135W



IPL311W

Precious

The Precious collection is inspired by the world of jewellery and fashion.

The design's lines echo those of items of jewellery: long necklaces, pendants and pearls are all refined references found in this theme.

A symbol of Christmas par excellence, the bow evokes connection, sharing and the joy of gifting, imposing its precious and timeless style.

JEWELLERY
LINKS
ADORNMENT
FASHION
BOW
RIBBONS
























IPL333W



IPL272W



IPL272



ITL333W




ITL332W



ITL332W + 1 TSL2W

IPL329W



IPL330W



IPL328W



ITL328W



ITL331W



ITL331W + 1 TSL2W

IPL333W - DANDY DRAPEAU

0,9 m | 2 m | 7,1 kg | 40W

SLOWFLASH-SOFT XLED | 118

IPL272W - RIALTO

1 m | 1,5 m | 3 kg | 25W

FLASH-XLED | 26

IPL272 - RIALTO

1 m | 1,5 m | 3 kg | 25W

FLASH-XLED | 26

ITL333W - DANDY DOUBLE

4 m | 0,9 m | 14,5 kg | 90W

SLOWFLASH-SOFTXLED | 237

ITL331W - LUCKY UNIT

0,9 m | 1 m | 3,6 kg | 25W

44

IPL329W - LUCKY

0,7 m | 2,7 m | 6,6 kg | 40W

SLOWFLASH-SOFT XLED | 69

IPL330W - LUCKY PETIT

0,7 m | 1,5 m | 3,8 kg | 25W

SLOWFLASH-SOFT XLED | 41

IPL328W - LUCKY GRAND

1 m | 3 m | 11,4 kg | 85W

SLOWFLASH-SOFT XLED | 95

ITL332W - DANDY UNIT

1 m | 0,6 m | 4,5 kg | 35W

SLOWFLASH-SOFT XLED | 67

ITL328W - LUCKY DOUBLE

6 m | 1 m | 22,5 kg | 170W

SLOWFLASH-SOFT XLED | 189

ITL333W + ITL332W



ITGL182WW - LANTERN BOHO 3

0,42 m | 0,6 m | 0,42 m | 2,7 kg | 5W

EFFET FLAMME

TO ORDER

ITGL182BW - LANTERN BOHO 3

0,42 m | 0,6 m | 0,42 m | 2,7 kg | 5W

EFFET FLAMME

TO ORDER

ITGL180WW - LANTERN BOHO 1

0,44 m | 0,8 m | 0,44 m | 3,8 kg | 5W

EFFET FLAMME

TO ORDER

ITGL180BW - LANTERN BOHO 1

0,44 m | 0,8 m | 0,44 m | 3,8 kg | 5W

EFFET FLAMME

TO ORDER

ITGL179WW - LANTERN BOHO 2

0,52 m | 0,5 m | 0,52 m | 2,7 kg | 5W

EFFET FLAMME

TO ORDER

ITGL179BW - LANTERN BOHO 2

0,52 m | 0,5 m | 0,52 m | 2,7 kg | 5W

EFFET FLAMME

TO ORDER

ITGL180WW + ITGL182WW

IPL326W



IPL324W



IPL325W



ITL327W




ITL327W + 1 TSL2

IPL087W



IPL115W



IPL075W



ITL033W



IPL326W - BOHO BANNER

0,8 m | 2,8 m | 8,8 kg | 40W

FLASH | 82

IPL324W - BOHO GRAND

0,9 m | 2,3 m | 7,4 kg | 40W

FLASH | 83

IPL325W - BOHO

0,9 m | 2 m | 7,1 kg | 45W

FLASH | 77

ITL327W - BOHO UNIT

0,8 m | 1 m | 4,4 kg | 25W

FLASH | 48

IPL087W - LIANO

1 m | 3 m | 12,8 kg | 95W

XLED-SLOWFLASH | 76

IPL115W - LYRE

0,9 m | 2 m | 6,1 kg | 40W

SLOWFLASH-XLED | 63

IPL075W - ZEPHYR

0,9 m | 2,5 m | 8,2 kg | 60W

XLED-SLOWFLASH | 76

ITL033W - RHAPSODY DOUBLE

6 m | 1,6 m | 28,6 kg | 185W

FLASH | 235

TO ORDER



ITL033W



IPL115W



IPL326W

IPL332W + IPL334W



IPL141W



TL311W



TL312W



TL311R



TL312R



ML019W



ML020W



IPL332W - DANDY

1 m | 0,6 m | 4,7 kg | 35W

SLOWFLASH-SOFT XLED | 67

IPL334W - DANDY POLE

0,2 m | 4,8 m | 2 kg | 5W

IPL141W - ILIADE

0,7 m | 1 m | 3,4 kg | 25W

FLASH | 31

TL311W - CLEA

1,83 m | 2,1 m | 0,51 m | 22 kg | 150W

FLASH

TL312W - RUBAN

2 m | 0,8 m | 8 kg | 45W

FLASH

TL311R - CLEO

1,83 m | 2,1 m | 0,51 m | 22 kg | 150W

FLASH

TO ORDER

TL312R - CLEO RUBAN

2 m | 0,8 m | 8 kg | 45W

FLASH

TO ORDER

ML019W - DANDY XL

2 m | 1,42 m | 0,5 m | 27,5 kg | 160W

SOFT XLED

TO ORDER

ML020W - DANDY RUBAN

2 m | 0,44 m | 6,7 kg | 40W

FLASH | 118



ML019W



TL311W



TL311R + TL312R

COSY

Close your eyes and breathe in the delicious scent of cinnamon that fills the alleyways of the Christmas market.
Pine green, red and gold are the key colours in this collection, which has a warm, traditional and gourmand feel.
Lanterns of every variety are an integral part of this Cosy collection, an ode to festive winter traditions with family and friends.

TRADITION
WARM
COCOONING
PINE TREES
CANDLE
LANTERNS















IPL134W



IPL114W




IPL140W



ITL113W



TL360W




TL356W




TL359W



PL356W



PL357W



TL358W



IPL134W - OLYMPE BANNER

0,8 m | 2,8 m | 9,7 kg | 50W

SLOWFLASH | 63

IPL114W - ZOE

0,9 m | 2 m | 8,7 kg | 65W

SLOWFLASH | 57

IPL140W - NORDIKA 2D - PM

0,65 m | 1,6 m | 6,5 kg | 20W

SLOWFLASH | 21

ITL113W - CALYPSO DOUBLE

4 m | 0,85 m | 15,1 kg | 110W

SLOWFLASH | 82

TL356W - COSY GRAND DOUBLE

4,6 m | 0,75 m | 19 kg | 46W

FLASHY

NEW

PL356W - COSY GRAND

0,75 m | 2,3 m | 10 kg | 23W

FLASHY

NEW

PL357W - COSY TRADI

0,8 m | 2 m | 11 kg | 26W

FLASHY

NEW

TL358W - COSY STARLIGHT

1 m | 0,95 m | 5 kg | 29W

FLASHY

NEW

TL360W - COSY ARCADE

4 m | 1,5 m | 15 kg | 34W

FLASHY

NEW

TL359W - COSY DOUBLE

5 m | 1 m | 27 kg | 87W

FLASHY

NEW

PL357w + TL358W + TL360W

IPL076W



IPL081W



IPL110



ITL076W



ITL361W



IPL070W




VL045W



PL344



ITL009



ITL061



IPL076W - CASSIOPEE

1 m	3 m		12,2 kg	60W
XLED-SLOWFLASH				94

IPL081W - SAMBA

1,3 m	2,25 m		6,9 kg	45W
XLED-SLOWFLASH				43

IPL110 - ASTERIE

0,85 m	2 m		5,1 kg	30W
SLOWFLASH				60

ITL076W - CASSIOPEE DOUBLE

6 m	1 m		23,4 kg	120W
XLED-SLOWFLASH				187

ITL009 - JF

5,5 m	0,9 m		10,9 kg	80W
SLOWFLASH				106

IPL070W - TWISTER

0,9 m	2 m		6,5 kg	35W
STARS-SLOWFLASH				51

VL045W - BLIZZARD VL

2,2 m	3 m	2,2 m	29 kg	105W
XLED-FLASH				225

PL344 - BOA

0,95 m	0,6 m	0,95 m	5,3 kg	10W
FLASH				


ITL361W - COSY JF

4 m	1,6 m		38 kg	206W
FLASHY				210

NEW

ITL061 - JF

5,5 m	0,9 m		10,8 kg	80W
SLOWFLASH				106



PL344




I PL070W




ITL076W


IPL271R



IPL271W



IPL270R



IPL270W



ITL276R



ITL276R + 2x GP303W

ITL279W



ITL279W + 2x GP303W

ITL275R



ITL275R + 2x GP303W

ITL278W



ITL278W + 2x GP303W

ITL277W



ITL277R + 2x GP303W

ITL276W



ITL276W + 2x GP303W

IPL271R - COSY PETIT

0,6 m	1,5 m	3,5 kg	30W
SLOWFLASH			28

IPL271W - COSY PETIT

0,6 m	1,5 m	3,5 kg	30W
SLOWFLASH			28

ITL276R - COSY STAR UNIT

0,85 m	0,95 m	2,7 kg	20W
SLOWFLASH			38

ITL279W - COSY BALL UNIT

0,75 m	1 m	3,3 kg	20W
SLOWFLASH			40

ITL279R - COSY BALL UNIT

0,75 m	1 m	3,3 kg	20W
SLOWFLASH			40

ITL276W - COSY STAR UNIT

0,85 m	0,95 m	2,7 kg	20W
SLOWFLASH			38

IPL270R - COSY

0,9 m	2 m	6 kg	40W
SLOWFLASH			43

IPL270W - COSY

0,9 m	2 m	6 kg	40W
SLOWFLASH			43

ITL275R - COSY UNIT

0,8 m	1 m	3,2 kg	20W
SLOWFLASH			40

ITL278W - COSY TREE UNIT

0,78 m	0,95 m	2,5 kg	20W
SLOWFLASH			32

ITL277W - COSY ANGEL UNIT

0,63 m	0,95 m	2,4 kg	20W
SLOWFLASH			32



ITL275R + ITL279R + ITL276R

2D

ITL053



ITL053W



3D

ITGL104



ITGL104W




ITGL105



ITGL105W





Vue de face

Vue de côté

ITL053 - SPHERE GM

1 m | 1 m | 2,8 kg | 20W

FLASH | 35

ITL053W - SPHERE GM

1 m | 1 m | 2,8 kg | 20W

SLOWFLASH | 35

ITGL104 - SPHERE FULL MM

0,5 m | 0,5 m | 0,26 m | 1,7 kg | 10W

SLOWFLASH

ITGL104W - SPHERE FULL MM

0,5 m | 0,5 m | 0,26 m | 1,7 kg | 10W

SLOWFLASH

ITGL105 - SPHERE FULL GM

0,8 m | 0,8 m | 0,4 m | 3,2 kg | 20W

SLOWFLASH

ITGL105W - SPHERE FULL GM

0,8 m | 0,8 m | 0,4 m | 3,2 kg | 20W

SLOWFLASH

ITL053W

3D


TGL70LW



TGL71LW




TGL72LW




TGL71LWCL




TGL70LWW




TGL71LWW



TGL72LWW





TGL70LW - SPHERE PLIABLE PM

0,6 m	0,6 m	0,6 m	3,9 kg	30W
FLASH				

TGL71LW - SPHERE PLIABLE MM

1 m	1 m	1 m	11,5 kg	75W
FLASH				

TGL72LW - SPHERE PLIABLE GM

1,6 m	1,6 m	1,6 m	24,8 kg	165W
FLASH				

TGL71LWCL - CHERRY LIGHT SPHERE

1 m	1 m	1 m	11,5 kg	15W
FLASH				

TGL70LWW - SPHERE PLIABLE PM

0,6 m	0,6 m	0,6 m	3,9 kg	30W
FLASH				

TGL71LWW - SPHERE PLIABLE MM

1 m	1 m	1 m	11,5 kg	75W
FLASH				

TGL72LWW - SPHERE PLIABLE GM

1,6 m	1,6 m	1,6 m	24,8 kg	165W
FLASH				



ITL022



TGL72LW



ITL101

ITGL141



ITGL131



ITGL111



ITGL117R



ITGL131W



ITGL111W



ITGL141 - ALTO

1 m | 1 m | 0,4 m | 5,1 kg | 35W

ITGL131 - GOUTTE

0,4 m | 0,8 m | 0,26 m | 1,8 kg | 10W

FLASH

ITGL111 - STAR 7

0,8 m | 0,8 m | 0,18 m | 1,9 kg | 15W

ITGL117R - LOVE

0,6 m | 0,6 m | 0,46 m | 2 kg | 8W

ITGL131W - GOUTTE

0,4 m | 0,8 m | 0,26 m | 1,8 kg | 10W

FLASH

ITGL111W - STAR 7

0,8 m | 0,8 m | 0,18 m | 1,9 kg | 15W

FLASH



ITGL111 + ITGL112



ITGL117R



ITGL141

GX117LW



GX048LW




TGL247LW



GX116LW



ITGL130W



TL347W
2D



GX117LW - ULYSSE

1,5 m | 2 m | 1,5 m | 25,6 kg | 130W

FLASH | 11

GX116LW - ACHILLE

0,6 m | 0,7 m | | 3,6 kg | 15W

GX048LW - AURORA

0,48 m | 0,73 m | 0,48 m | 4,3 kg | 40W

ITGL130W - LANTERNA

0,7 m | 0,8 m | 0,4 m | 2,9 kg | 25W

TGL247LW - LUZ

0,26 m | 0,36 m | 0,26 m | 1,3 kg | 5W

TL347W - LANTERN

0,8 m | 1 m | | 2,8 kg | 20W

STARS



GX116LW + GP138L



ITGL130W



ITL101 + FL900E

Cristal

The Cristal collection brings a breath of freshness to your polar decoration.
Delicate arabesques and more decorative lines warm up this glacial world.
New snowflakes with softer designs in warm shades, mixing pure white and warm white, make up this range inspired by the nomadic peoples of the Far North.

POLAR
MOUNTAINS
FROSTY ATMOSPHERE
SNOWFLAKES
BLIZZARD
ARCTIC



















IPL367B



IPL368B




IPL323W



ITL368B



ITL371B




ITL370B



IPL369B



IPL322



ITL232W



IPL367B - EDELWEISS GRAND

1 m	3 m		12 kg	83W
	STARS			131

NEW

IPL368B - EDELWEISS

0,7 m	2,3 m		8 kg	50W
	STARS			75

NEW

IPL323W - JOEL

0,9 m	2 m		5,6 kg	35W
	FLASH			67

ITL368B - EDELWEISS DOUBLE

4,6 m	0,7 m		16 kg	100W
	STARS			150

NEW

ITL232W - LINE JF

4 m	1 m		17 kg	120W
	XLED-STARS			83

ITL370B - EDELWEISS UNIT

0,75 m	0,75 m		3 kg	15W
	STARS			31

NEW

IPL369B - EDELWEISS PETIT

0,7 m	1,5 m		5 kg	32W
	XLED-STARS			48

NEW

IPL322 - WOODY


0,9 m	2 m		5,4 kg	25W
	FLASH			52

ITL371B - EDELWEISS CURVE

5 m	1,1 m		20 kg	117W
	STARS-FLASHY			190

NEW


IPL199




IPL201



IPL200



ITL314



ITL314 + 1 TSL2


ITL312

ITL312 + 1 TSL2

IPL199W




IPL201W



IPL200W



ITL314W



ITL314W + 1 TSL2

ITL312W

ITL312W + 1 TSL2

IPL199 - LINE BANNER

0,8 m | 2,8 m | 10,8 kg | 60W

FLASH-XLED-STARS | 85

IPL201 - LINE GRAND

0,9 m | 2,3 m | 8,5 kg | 50W

FLASH-XLED-STARS | 67

IPL200 - LINE DRAPEAU

0,9 m | 2 m | 8,5 kg | 50W

FLASH-XLED-STARS | 67

ITL314 - WALLIS GRAND

1,3 m | 1,5 m | 6,4 kg | 35W

FLASH-STARS | 57

ITL312 - WALLIS

0,75 m | 0,8 m | 2,7 kg | 15W

STARS | 32

IPL199W - LINE BANNER

0,8 m | 2,8 m | 10,8 kg | 60W

FLASH-XLED-STARS | 83

IPL201W - LINE GRAND

0,9 m | 2,3 m | 8,5 kg | 50W

FLASH-XLED-STARS | 67

IPL200W - LINE DRAPEAU

0,9 m | 2 m | 8,5 kg | 50W

FLASH-XLED-STARS | 67

ITL314W - WALLIS GRAND

1,3 m | 1,5 m | 6,4 kg | 35W

FLASH-STARS | 57

ITL312W - WALLIS

0,75 m | 0,8 m | 2,7 kg | 15W

STARS | 32

ITL101

PL250W



IPL118W



IPL126W




IPL127W




ITL072W



ITL118W




IPL160




IPL122



IPL126



IPL127



ITL059W



ITL127W



PL250W - TIVANO
0,92 m | 1,77 m | 4,6 kg | 24W
STARS-FLASH | 99

IPL118W - BLIZZARD
0,7 m | 2,3 m | 10 kg | 60W
SLOWFLASH-STARS | 100

IPL126W - ASIA
0,6 m | 1,5 m | 5,4 kg | 40W
SLOWFLASH | 62

IPL127W - MILO
0,9 m | 2 m | 7,2 kg | 50W
STARS-SLOWFLASH | 41

ITL059W - JOYEUSES FETES VOLUTUS
4,93 m | 1,22 m | 23,6 kg | 155W
FLASH-STARS | 132

ITL072W - ALYZE DOUBLE
6 m | 1 m | 24,5 kg | 120W
STARS-SLOWFLASH | 203

IPL160 - VENTURO
1 m | 3 m | 11 kg | 65W
FLASH | 99

IPL122 - ALTHAIR
0,7 m | 1,5 m | 4,2 kg | 30W
STARS-SLOWFLASH | 54

IPL126 - ASIA
0,6 m | 1,5 m | 5,4 kg | 40W
SLOWFLASH | 62

IPL127 - MILO
0,9 m | 2 m | 7,2 kg | 50W
STARS-SLOWFLASH | 41

ITL127W - MILO ARC
4 m | 1,2 m | 17,4 kg | 110W
STARS-FLASH | 116

ITL118W - GRAND BLIZZARD
5 m | 1 m | 24 kg | 135W
STARS-SLOWFLASH | 224



ITL101 + IPL336W + IPL332W

stella

Whether shooting or sparkling, the star comes in every shape and shade to the delight of young and old, who come to admire this celestial show.
The star is also the symbol of magic, and all your wishes come true with the wave of a wand!

STAR
MAGIC
CONSTELLATION
SUPERNOVA
LUMINARY
SOLAR

















IPL352B




IPL351B



ITL354B



IPL350B



PIX05B



ITL355B



ITL353B

IPL352B - ORION CORNER

1 m | 1,5 m | 5 kg | 20W | STARS-FLASHY | 55

NEW

IPL351B - ORION

0,95 m | 2,3 m | 9 kg | 71W | STARS-FLASHY | 64

NEW

IPL350B - ORION STAR

0,95 m | 2,3 m | 9 kg | 52W | STARS-FLASHY | 80

NEW

ITL353B - ORION UNIT

0,8 m | 0,75 m | 3 kg | 16W | STARS | 34

NEW

PIX05B - XMAS PIX

0,9 m | 0,85 m | 2 kg |

NEW

ITL354B - ORION WELCOME

5,4 m | 1,3 m | 21 kg | 158W | STARS-FLASHY | 159

NEW

ITL355B - ORION ARCADE

4 m | 0,8 m | 18 kg | 86W | STARS-FLASHY | 80

NEW

ITL355B + IPL350B

IPL257



IPL257W



IPL257B



IPL258




IPL258W



IPL258B



ITL262



ITL262W



ITL262B



ITL261



ITL261 + 1 TSL2

ITL261W



ITL261W + 1 TSL2

ITL261B



ITL261B + 1 TSL2

IPL257 - ROMAN BANNER

0,8 m | 2,8 m | 7,6 kg | 30W

SLOWFLASH-STARS | 43

TO ORDER

IPL257W - ROMAN BANNER

0,8 m | 2,8 m | 7,6 kg | 30W

SLOWFLASH-STARS | 43

IPL257B - ROMAN BANNER

0,8 m | 2,8 m | 7,6 kg | 30W

SLOWFLASH-STARS | 43

ITL262 - ROMAN CURVE

4 m | 1 m | 14,5 kg | 65W

SLOWFLASH-STARS | 101

TO ORDER

ITL262B - ROMAN CURVE

4 m | 1 m | 14,5 kg | 65W

SLOWFLASH-STARS | 101

ITL261W - ROMAN UNIT

0,86 m | 1 m | 2,9 kg | 20W

SLOWFLASH-STARS | 18

IPL258 - ROMAN

0,9 m | 2 m | 6 kg | 30W

SLOWFLASH-STARS | 48

TO ORDER

IPL258W - ROMAN

0,9 m | 2 m | 6 kg | 30W

SLOWFLASH-STARS | 48

IPL258B - ROMAN

0,9 m | 2 m | 6 kg | 30W

SLOWFLASH-STARS | 48

ITL262W - ROMAN CURVE

4 m | 1 m | 14,5 kg | 65W

SLOWFLASH-STARS | 101

ITL261 - ROMAN UNIT

0,86 m | 1 m | 2,9 kg | 20W

SLOWFLASH-STARS | 18

TO ORDER


ITL261B - ROMAN UNIT

0,86 m | 1 m | 2,9 kg | 20W

SLOWFLASH-STARS | 18

ITL315

IPL259



IPL259W



IPL260W



ITL227B



IPL191B



IPL191W



IPL191R



ITL227W



IPL259 - ROMAN PETIT

0,6 m | 1,2 m | 2,7 kg | 15W

SLOWFLASH-STARS-XLED | 24

IPL259W - ROMAN PETIT

0,6 m | 1,2 m | 2,7 kg | 15W

SLOWFLASH-XLED-STARS | 24

IPL260W - ROMAN ROLL

1 m | 1,3 m | 3,6 kg | 15W

SLOWFLASH-STARS |

ITL227B - ASTRAL CHAIN

4 m | 1 m | 15,5 kg | 65W

STARS-FLASH | 68

IPL191B - ASTRAL

0,9 m | 2 m | 4,3 kg | 60W

SLOWFLASH-XLED-STARS | 79

IPL191W - ASTRAL

0,9 m | 2 m | 4,3 kg | 60W

SLOWFLASH-XLED-STARS | 79

IPL191R - ASTRAL

0,9 m | 2 m | 4,3 kg | 60W

XLED-FLASH-STARS | 79

ITL227W - ASTRAL CHAIN

4 m | 1 m | 11,9 kg | 65W


STARS-FLASH | 68

IPL191R


IPL190B



IPL190W




IPL190R




IPL189B



IPL189W



IPL189R



ITL191B



ITL191W



IPL190B - ASTRAL BANNER

0,8 m | 2,8 m | 10,1 kg | 55W

XLED-STARS-SLOWFLASH | 67

TO ORDER

IPL190W - ASTRAL BANNER

0,8 m | 2,8 m | 10,1 kg | 55W

FLASH-XLED-STARS | 67

IPL190R - ASTRAL BANNER

0,8 m | 2,8 m | 10,1 kg | 55W

XLED-STARS-SLOWFLASH | 67

TO ORDER

ITL191B - ASTRAL TRAVERSE

4 m | 0,9 m | 20 kg | 120W

STARS-XLED-SLOWFLASH | 167

IPL189B - ASTRAL DRAPEAU

1 m | 3 m | 13,5 kg | 65W

XLED-STARS-SLOWFLASH | 128

TO ORDER

IPL189W - ASTRAL DRAPEAU

1 m | 3 m | 13,5 kg | 65W

XLED-STARS-SLOWFLASH | 128

IPL189R - ASTRAL DRAPEAU

1 m | 3 m | 13,5 kg | 65W

XLED-STARS-SLOWFLASH | 128

TO ORDER

ITL191W - ASTRAL TRAVERSE

4 m | 0,9 m | 20 kg | 120W

STARS-XLED-SLOWFLASH | 167

IPL190R

IPL094W



IPL228B



IPL228W




ITL083W



IPL042W



IPL340W



IPL117W



ITL234W



IPL094W - STELLA

1 m	3 m		10,8 kg	70W
XLED-SLOWFLASH				90

IPL228B - ASTRAL ROLL

1,1 m	1,3 m		6 kg	35W
STARS-XLED-SLOWFLASH				51

IPL228W - ASTRAL ROLL

1,1 m	1,3 m		6 kg	35W
STARS-XLED-SLOWFLASH				51

ITL083W - ANTHARES GM

1,52 m	1,15 m		5,6 kg	50W
SLOWFLASH				47

IPL042W - CELESTE

0,85 m	3 m		10 kg	75W
FLASH				92

IPL340W - ALPS

1 m	2,3 m		8,8 kg	65W
FLASH				65

IPL117W - BLIZZARD BANNER

0,8 m	2,8 m		10,2 kg	45W
SLOWFLASH				76

ITL234W - ASTRAL JF

4,5 m	0,85 m		16 kg	100W
STARS				109



IPL094W



IPL340W



IPL042W

ITGL112



ITL020W



G-STAR+



ITGL112W



ITL115W



G-STARW+



ITGL112 - STAR 5

0,8 m | 0,8 m | 0,18 m | 1,5 kg | 10W

ITGL112W - STAR 5

0,8 m | 0,8 m | 0,18 m | 1,5 kg | 10W

ITL020W - GIVRE

0,85 m | 0,97 m | 4,5 kg | 40W

FLASH | 47

ITL115W - LILLY

0,42 m | 0,48 m | 4 kg | 16W

20

G-STAR+ - STAR

0,6 m | 0,6 m | 0,6 m | 2,3 kg | 12W

G-STARW+ - STAR

0,6 m | 0,6 m | 0,6 m | 2,3 kg | 12W


ITGL112 + ITGL112W




DUO COLOURS® RANGE
2 in 1 products!

From one year to the next, switch your decor from warm white to pure white according to your desires!

You can choose from a warm white or pure white.
By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.








GX118DC - DUO COMETE
2,18 m | 2,6 m | 1,2 m | 27,4 kg | 35W
FLASH


GX266DC - MINI MAGIC
1,6 m | 2,5 m | 1,6 m | 28,5 kg | 90W
FLASH














ITL288DC - DUO FLAKE
1 m | 1 m | 4,2 kg | 25W
FLASH | 65

IPL285DC - DUO PETIT
0,6 m | 1,5 m | 3,5 kg | 25W
FLASH-XLED | 38


IPL284DC - DUO GRANDE
1 m | 3 m | 9 kg | 35W
FLASH | 103

IPL286DC - DUO
0,52 m | 2,1 m | 4,2 kg | 15W
FLASH-STARS | 37

IPL283DC - DUO LINE
0,7 m | 1,5 m | 3,3 kg | 20W
FLASH-XLED | 38

ITL282DC - DUO DOUBLE
4 m | 0,9 m | 12,6 kg | 50W
XLED-FLASH | 140

IPL282DC - DUO LINE GRAND
0,9 m | 2 m | 6,2 kg | 25W
STARS-SLOWFLASH | 70



SOLAR RANGE
varied and adaptable decorations work with solar energy

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.


Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.

Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- your lights can be programmed to operate for 5, 6 or 7 hours.


PIXSOL2

20W pannel power
7,2W power output



When you set it up, make sure it is facing the right way to get the most sun during the day. These decorations are equipped only with 24V LED string lights.

100% autonomus



PIXSOL2 (p.275)

+

IPS289W



IPS280W



IPS280



IPS290



IPS264W



IPS281W



IPS289W - STARS S.
0,6 m | 1,2 m | 2,5 kg | 5W
FLASH-STARS | 30

IPS280W - QUADRILLE S.
0,9 m | 2 m | 6 kg | 10W
FLASH-XLED-STARS | 57

IPS280 - QUADRILLE S.
0,9 m | 2 m | 6 kg | 10W
FLASH-XLED-STARS | 57

IPS290 - RIBBON S.
0,43 m | 1,8 m | 3,4 kg | 10W
FLASH-XLED | 32

IPS264W - BLIZZY S
0,5 m | 1,2 m | 2 kg | 5W
FLASH-STARS | 28

IPS281W - RIBBON S.
0,6 m | 1,2 m | 2,5 kg | 5W
FLASH-XLED | 28

PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed.

Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?

For the public, the idea is simple: when users approach the Play Magic banner, the app they have pre-installed on their phone automatically unlocks to give them access to the games.
They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city: the games app has a subscription model valid while the illuminations are up, with games updated each year.
Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection.
The app's success also depends on you advertising it on displays in your town/city and on your social media pages.
We can assist you in setting up your communications (Réf. ARCOM below).

Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).

FR : AR001
EN : AR001-EN
ES : AR001-ES

Availables games:








GX103L-A - BILLY ANIME
2,9 m | 2,7 m | 1,35 m | 78,5 kg | 121W
INTERACTIVITE-FLASH | 134

GX103L - BILLY
2,9 m | 2,7 m | 1,35 m | 65,5 kg | 81W
134

GX146L - MARLEY
2,6 m | 2,3 m | 0,7 m | 46,5 kg | 20W
FLASH

GX200L - LULU
1,41 m | 1,6 m | 0,67 m | 20,5 kg | 15W
FLASH



2D & 3D LETTER

Stand Out! Showcase your identity with our XXL Lettering

Place them wherever you like—on roundabouts, in front of your town hall, or near any iconic landmark in your community.

We offer various options for volume, size, color, and weighted base:

Our 2D letters come in Recyprint gold and white, made from recycled plastic bottles and fully recyclable. They are available in heights of 1.4m or 2m. The lightweight, discreet aluminum frame is crafted from recycled material and designed to hold your weighted base.

This year, we're introducing 3D letters with added depth. Covered in Flexiprint—our new flexible, recyclable material made from recycled plastic—these letters feature white front and back faces with gold-colored edges.

Two sizes are available:

1.8m with a depth of 60cm
1.4m with a depth of 40cm
These 3D letters also come with a black lacquered base that serves as a weighted support, offering a turnkey, ready-to-install lettering solution.

All our lettering includes warm white spotlights, so your name will shine at nightfall.



ECO-FRIENDLY MATERIALS



DISCREET BLACK LACQUERED FRAME



SPOTLIGHT

2D LETTER - WHITE

2D LETTERS WHITE						
	1,4 m			15,5 kg	LETTREMB
2D LETTERS XL-WHITE						
	2 m			18,5 kg	LETTREGMB

2D LETTER - GOLD

2D LETTERS GOLD						
	1,4 m			15,5 kg	LETTREMO
2D LETTERS XL-GOLD						
	2 m			18,5 kg	LETTREGMO

3D LETTER WITHOUT BASE PLATINE

3D LETTERS						
	1,4 m	1,5 m	0,4 m	15 kg	LET3DPM
3D LETTERS XL						
	1,8 m	1,9 m	0,6 m	25 kg	LET3DGM

3D LETTER WITH BASE PLATINE

3D LETTERS-BASE						
	1,4 m	1,5 m	0,4 m	97 kg	LET3DPM-P
3D LETTERS XL-BASE						
	1,8 m	1,9 m	0,6 m	119 kg	LET3DGM-P













DRESSING CITY BARRIERS & PLANTERS

2D ground decor

Adorn your urban furniture with colourful environmentally-friendly decorations!

Marine, floral or butterfly theme — customise the decoration of your town barriers or planters.
You can choose the background colour of the decoration as well as the motif which will be applied on top, everything will be tailor-made in Bioprint, our biodegradable, recyclable material.

Customised project, contact us.







TREE CORSET

3D ground decor

Embellish your tree trunks!


Our tree corsets will adorn and light up your trees while protecting them and ensuring optimal hold.
Available in bright or passive versions and in a wide array of colours, there are unlimited combinations to liven up your urban areas or green spaces with style and creativity.

Customised project, contact us.











STRING LIGHTS
& luminous curtains

CONTENTS

SPARKLIGHT® EUROPA STRING LIGHTS 168 — 169

MULTICOLOURED RGBWW/RGB 170 — 173

STRING LIGHTS RANGE 174 — 197

LED CURTAINS 198 — 217

LED STALACTITES 218 — 231

CEILINGS AND BRAIDS 232 — 245

SUSPENSIONS AND DECORATIONS 246 — 266

PROJECTORS 267 — 270



Legends

- Height
- Lenght
- Depth
- Voltage
- Nb of runs
- Nb connectable
- Flash color
- LED color
- Cable color
- New
- Indoor/outdoor use
- Type of cable
- Protection class
- Power cord supplied
- Impact rating
- Exclusive Octoplus by blachere® 230V range
- Exclusive Octoplus by blachere® 24V range
- Exclusive Octoplus by blachere® 12V range

BLACHERE
LEDs

The different types of Blachere© LEDs :



LED +
An exclusive 100% Blachere© innovation



SPARKLIGHT EUROPA LED
A unique, instantly recognizable star shape.



LED RGBWW/RGB
A special capsule for better color diffusion.



LED CLASSIQUE
A robust and stable encapsulated LED with an inverted interior cone.



LED SMD
The ultimate electrical component, manufactured by an automatic machine.


LED + :
By approaching innovation through usage, our R&D department has developed the brand new Led+ in fixed and slow flash versions to make your projects sparkle! The result of a long-standing collaboration with Nichia®, the world leader in LEDs, we are delighted to offer you an exclusive new range:


brighter, more robust, longer lifespan, more consistent colour quality

The new technical features of Led+ are:

> **Optimised and patented design** to enhance the luminous efficiency of our solutions (Reverse conical principle).
> **Maximised heat dissipation** for increased service life.
> **Uniform phosphorus deposition** for uniform light output.
> **2-year guarantee.**
> **Optimal protection rating: IP66/IP69.**
> **Octoplus 230V connector by Blachere IP67.**
> **Optimized energy performance: a 15% reduction in consumption.**







SPARKLIGHT® EUROPA
by Blachere Illumination

rubber · IP66-69 · 230V · IK08 · N

Ten years after revolutionising our industry with large-format 3D printing, we have met a new challenge: manufacturing competitive, high-quality made in France string light.

We are proud to present SPARKLIGHT ® EUROPA, designed and manufactured in our workshops in Provence, France.

SPARKLIGHT ® EUROPA is the culmination of several years' Research and Development and investment, combined with unique know-how developed and kept alive on French soil for more than half a century, which has earned the company the EPV Living Heritage Company Label, awarded several years ago.


The launch of our French string lights embodies our continuously renewed commitment to responsible innovation, combining industrial expertise, creativity and energy efficiency to create the magic of Christmas and meet the concrete needs of municipalities.



FRENCH KNOW-HOW
SPARKLIGHT® EUROPA is produced in our workshops in Apt, where Blachere was founded over 50 years ago. Our unique know-how is a perfect balance between traditional craftsmanship and industrial efficiency.

LOCAL ECONOMY
Supporting European production reinforces our industrial autonomy and strengthens employment in Europe. Local production is a reliable alternative to import disruptions.

SHORT SUPPLY CHAIN
All stages of production and packaging take place in our workshops in Apt, France, significantly reducing intercontinental transport.




SPARKLIGHT® EUROPA
by Blachere Illumination

rubber · IP66-69 · 230V · IK08 · N




VERSION N°1

	LED			
8 m	80	3	x	F080W-B
Rectified power cable only for F080W-B				FY09-B
Sparklight Europa mounting option in light curtain configuration :				
15-drop collector for creating a light curtain				FY025-B
Power cable 230V Octoplus				FY08-B+
Bridge rectifier 1A/230V Octoplus				FY041-AB+



VERSION N°2

	LED				
16 m	160	3	6	F160	F160-B
16 m	160	3	6	F160W	F160W-B



	DESIGNATION			
1,50 m	power cable		FY08+	FY08-B+
0,30 m	bridge rectifier	690W max	FY043A+	FY043A-B+
0,20 m	bridge rectifier	230W max	FY041A+	FY041A-B+

PRODUCT INFO

BLACHERE ILLUMINATION INNOVATION
Our new SPARKLIGHT® EUROPA string light is produced and packaged in France. Equipped with energy-efficient LEDs - like all our string lights- SPARKLIGHT® EUROPA consumes only 3W for 80 LEDs, making it the most eco-friendly string light in our range. Our new string light is a robust innovation, designed for outdoor and professional use only. Compatible with the Octopus system by Blachere, it can be configured into a stunning tree curtain.

STRING LIGHTS iLED ColorTech by Blachere®

RGBWW - multicoloured

PVC · IP66-69 · 12V · 12V · IK08

RGBWW technology completely reinvented!


Over the last 2 years, we have developed a new RGBWW LED, **the brightest on the market, which can be controlled pixel by pixel** using a combination of software and "open command" animations (DMX compatible).

Four high-quality LEDs in a single capsule for a unique light output, with warm white 2300/2500K.


With incredible luminosity and a range of unique colours, our RGBWW string lights opens up a host of possibilities for illuminated decorations (string lights configuration or curtain configuration, for trees and facades).

This technology requires a personalised analysis tailored to your project

Ask for an analysis!





TREE CONFIGURATION «CHAMPAGNE GLASS»

Transform an avenue or a square into a unique, multicoloured, and animated spectacle.
By equipping your trees with iLED ColorTech RGBWW, you become the conductor of this show, creating your own animations according to your preferences and schedule (hourly, daily, weekly, or even monthly, for example).

CONFIGURATION «TENT»

Create a multicoloured and animated tent above a square or roundabout. An aerial installation that creates a magical starry sky, fully customisable to your preferences.

CONFIGURATION «STREET CEILING»

Transform your main avenue into a unique gathering place and energize your city center by creating a multicolored light show.

The endless animation possibilities will allow you to create a spectacle (for example, every half hour) and attract a crowd that loves light events!
A great way to boost your local economy during the festive season…

«FACADES» INSTALLATION

Why not create your own giant light screen on the façade of your town hall?
Each evening, attract a crowd of spectators eager to enjoy the light show, specially designed for the occasion, to complement your Christmas market or city festivities!

Watch the video:












STRING LIGHTS iLED ColorTech by Blachere®

RGBWW - multicoloured

PVC · IP66-69 · 12V · 12V · IK08




4-colour +LED




RGBWW

	RGBWW				
13 m		32	x	FT-ST128	FT-ST128B
2 x 6,5 m		32	x	FT-ST64	



ACCESSORIES REQUIRED FOR THESE REFERENCES

DESIGNATIONS		
transformer amplifier 12V/50W	50W	FT-TRAS50
animator / transformer 12V/50W	50W	FT-TRC50



PRODUCT DETAILS

iLED Colour Tech Innovation by Blachere©
A product developed exclusively for the Champs-Élysées, now available to all our clients.
Recreate the world's most beautiful avenue in your own town!
- New LED shape
- Brighter (WW 10 lumens/pixel)
- Unique colours and shades (warm white 2300/2500K)
- Up to 6 string lights end-to-end (768 linear pixels – 78 m) > 490,000 pixels
- Open DMX-compatible software, professional and intelligent (multilingual)
- Free addressing
- Reinforced durability with nylon cable










MULTICOLOURED RGB CONTROLLABLE GARLAND
colour changing

PVC · IP65 · 5V



3-colour LED chips




LED RGB

RGB				
3,75 m		7,5	2	FL525RGB


CAMÉLÉON SET

input voltage	output voltage	Nb of pixels	P (W)	Nb of outputs	Ref
230V	5V	10 x 50 = 500	150	10	PRX10RGB



PRODUCT DETAILS


Customise the lighting, colour and animation of your trees, on a monthly, weekly or special event basis throughout the year. For a tree of 8 to 10m: 20 FL525RGB strands for 10 radians of 7.50m (2x3.75), a PRX10RGB box, the Cameleon application on your smartphone. Maximum colour spectrum thanks to RGB LED technology. Communication via Bluetooth 5 between communications, Wi-Fi communication between phone + sets.





DUO COLORS® GARLAND
flash






Pure white → → → → Warm white

STATIC + FLASHS

	LED	FLASH			
20 m	128	32	11,5	5	**530WWF**



PRODUCT DETAILS

2 in 1 products!
Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



SPARKLIGHT® LED+ STRING LIGHTS
slowflash or static

rubber | IP66-69 | 230V | IK08




SLOWFLASHS

	LED	SLOWFLASH				
20 m	108	52	10	5	FL590F+	FL590BF+
20 m	108	52	10	5	FL590WF+	FL590WBF+
20 m	108	52	10	5	FL590BLF+	
20 m	108	52	10	5	FL590RF+	

STATICS

	LED	SLOWFLASH				
20 m	160	x	10	5	FL590+	FL590-B+
20 m	160	x	10	5	FL590W+	FL590W-B+
20 m	160	x	10	5	FL590BL+	
20 m	160	x	10	5	FL590R+	



ACCESSORIES REQUIRED FOR THESE REFERENCES

	DESIGNATION			
1,50 m	power cable		FY08+	FY08-B+
0,30 m	bridge rectifier	690W max	FY043A+	FY043A-B+
0,20 m	bridge rectifier	230W max	FY041A+	FY041A-B+

PRODUCT DETAILS

INNOVATION Blachere exclusive - Guarantee 2 years (conditions : contact us)
- Registered design
- High brightness
- Shock resistant IK08
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.




SPARKLIGHT STRING LIGHTS / JOYLIGHT CURTAIN

flash led super bright®


rubber | IP66 | 230V | IK08 | incl.





JOYLIGHT SUPER BRIGHT CURTAIN

		FLASH				
2 m	6 m	80	20	8	5	**260-F**



SPARKLIGHT SUPER BRIGHT STRING LIGHT

	FLASH			
40 m	80	20	2	**560-F**

PRODUCT DETAILS

INNOVATION Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK08
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.



SPARKLIGHT® STRING LIGHTS

flashs or statics

rubber | IP66 | 230V | incl. | IK08



100% FLASHS

		FLASH			
20 m		80	5	5	510-FX


FLASHS

	LED	FLASH				
20 m	90	30	8	5	512-FX	
20 m	90	30	8	5	512W-FX	
20 m	150	50	12	5	511-FX	511B-FX
20 m	150	50	12	5	510W-FX	510BW-FX
20 m	150	50	12	5	510B-FX	
20 m	150	50	12	5	510R-FX	
20 m	150	50	15,5	5	510P-FX	

STATICS


	LED	FLASH				
20 m	200	x	15	5	508	508-B
20 m	200	x	15	5	508W	508W-B
20 m	120	x	8	5	512C	
20 m	120	x	8	5	512CW	
20 m	200	x	15	5	508B	

20 m



510-FX

2 x 10 m



510BW-FX, 510W-FX, 510B-FX, 510R-FX, 510P-FX, 511-FX, 511B-FX, 512-FX, 512W-FX, 508-B, 508, 508W-B, 508W, 508B, 512C, 512CW

PRODUCT DETAILS

Proven reliability. Power supply with connecting socket included. Wide range of Octoplus 230V by Blachere accessories available. Light flash concentration on FX models. Increased waterproofing thanks to optimum protection rating.



SPARKLIGHT® 24V STRING LIGHTS
flashs or statics




• WITH PVC CABLE

PVC · IP66 · 24V · incl.

FLASHS

	LED	FLASH			
20 m	168	28	5	5	**FL502-FX**
20 m	168	28	5	5	**FL502W-FX**
20 m	168	28	5	5	**FL502B-FX**
20 m	168	28	5	5	**FL502R-FX**



FL502-FX, FL502W-FX, FL502B-FX, FL502R-FX, 501W


STATICS

	LED	FLASH			
20 m	196	x	5	5	**501W**

• WITH RUBBER CABLE (PERMANENT USE)

rubber · IP55 · 24V

	LED	FLASH			
20 m	196	x	6,2	4	**501CW**



501CW

POWER CABLE REQUIRED FOR THIS REFERENCE

DESIGNATION		
Switch-mode power supply 24V dc 25W - sold separately	25W	**PRTR24V**

PRODUCT DETAILS

Very low voltage ideal for safe installations within the reach of the public. High protection rating to withstand dirt and moisture. Long lengths made possible by connecting several string lights using one transformer. *Ref 501CW: more durable rubber cable, ideal for permanent use.* Wide range of Octoplus 24V by Blachere accessories




TREE LIGHT HP KIT
statics

PVC · IP66 · 230V · incl. · N



STATICS

	LED			
50 m	400	72	25 m max.	**416WHP**



ACCESSORIES INCLUDED WITH THIS REFERENCE

DESIGNATION	
2 x 24V/72W transformaters	72W
5 × 24V female connector cables	24V
10 heat-shrink connectors + 5 heat-shrink sleeves + 5 end caps	



PRODUCT DETAILS

A classic for traditional street decorations. Quick-connect accessories, extension cables, multi-socket connectors, Octoplus 230V by Blachere®.



LEDMOSPHÈRE STRING LIGHTS

flash or statics

rubber · IP66 · 230V · incl. · N






micro steel wire


FLASH

		FLASH				
10 m	x	30 30	8	x	10	600WWF



STATICS

		LED	FLASH				
10 m	x	30	x	14	x	10	600W
50 m	x	150	x	70	x	2	650W



PRODUCT DETAILS

String lights packaged in rolls and mounted on a steel wire which will allow an easy installation and a greater resistance. Compatible with the Octoplus 230V range. Carabiners supplied.



STRING LIGHTS
with B22 sockets

rubber · IP54 · 230V







ROLLS OF B22 SOCKET STRING LIGHTS - PLUG NOT INCLUDED

	DESIGNATION	CABLE SECTION	■	■	□
100 m	roll of string lights 1 socket / m	2 x 1,5 mm²	**GR098C**	**GR098CN**	
100 m	roll of string lights 2 sockets / m	2 x 1,5 mm²	**GR099C**	**GR099CN**	
100 m	roll of string lights 3 sockets / m	2 x 1,5 mm²	**GR100C**	**GR100CN**	**GR100C-B**
50 m	roll of string lights 4 sockets / m	2 x 1,5 mm²	**GR112C**	**GR112CN**	
50 m	roll of string lights 5 sockets / m	2 x 1,5 mm²	**GR113C**	**GR113CN**	

B22 SOCKET STRING LIGHTS - PLUG INCLUDED

	DESIGNATION	CABLE SECTION	■	■	□
9 m	string lights of 20 sockets	2 x 1,5 mm²	**GR1C**	**GR1CN**	
15 m	string lights of 40 sockets	2 x 1,5 mm²	**GR2C**		

PRODUCT DETAILS

Customise your garland with different bulbs suggested on p193 and make up your own eye-catching effect. Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.



série LDL B22/E27 (modèle déposé)



série LDLH B22 SMD




LDLFL-B22



F722-L / F732-L

B22/E27 BULBS & STARFLASH®





DESCRIPTION	B22	E27	B22	B22	B22 FLASH	
TYPE OF GLOBE	polycarbonate	polycarbonate	polycarbonate	polycarbonate	polycarbonate	
Ø OF GLOBE	45 mm	45 mm	45 mm	36 x 115 mm		
VOLTAGE	230V	230V	230V	230V	230V	
INTENSITY	3,68VA	3,68VA	3,68VA		0,5J	2J
WATTAGE	16mA max/ 0,5W	16mA max/ 0,5W	16mA max/ 0,5W	3W	1W	1W
PACKING	set of 25	set of 25	set of 25	unit	unit	unit
	LDL11-B2	LDL11-E2	LDLH11		F722-L	F732-L
	LDL11W-B22	LDL11W-E27	LDLH11W			
	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22		
	LDL13-B22	LDL13-E27	LDLH13			
	LDL14-B22	LDL14-E27	LDLH14			
	LDL16-B22	LDL16-E27	LDLH16			
	LDL18-B22	-	LDLH18			

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption. In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.


PRODUCT DETAILS

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «filament effect» similar to the incandescent bulbs of yesteryear. The polycarbonate globe guarantees an increased solidity (IK06). The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction. *F722-L / F732-L.* A historical product that is easy to use on a B22 lampholder. Produces 1 flash approximately every 3 seconds.

CHERRYLIGHT® STRING LIGHT
multicoloured

PVC · IP55 · 24V · incl.







STATICS

	LED	FLASH			
20 m	160		5,6	3	FL555C

PRODUCT DETAILS


This auto-animated multicolour RGB garland is ideal for decorating trees or plant clusters. The pastel colour palette combined with a gentle, random animation creates a warm ambiance. Comes with a waterproof 24V transformer, making it ideal for decorations within hand's reach, in complete safety.



SWAG STRING LIGHTS
pre-lit

rubber · IP66 · 230V · incl.





SWAG STRING LIGHT PER UNIT

Ø		LED			
35 cm	3 m	400	30	6	GP303W
35 cm	4 m	500	38	4	GP304W

PRODUCT DETAILS

A timeless classic for traditional street decorations. Quick connection accessories, extensions, multi-socket connectors, and Octoplus 230V by Blachere®.



FIR STRING LIGHTS
pre-lit

rubber | IP66 | 230V | incl.




FLASHS : set of 2 x 2,70 m

ø		LED	FLASH			
30 cm	2,70 m	2 x 90	2 x 30	2 x 11	10	**GP134LWFX**

STATICS : set of 2 x 2,70 m

ø		LED	FLASH			
30 cm	2,70 m	2 x 120		2 x 10	10	**GP134L-W**



PRODUCT DETAILS

Great classic for traditional street decorations. Sold in set of 2 fir. Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.









CURTAIN iLED Color Tech by Blachere®

RGBWW - multicoloured

PVC | IP66-69 | 12V | 12V | IK08 | N




RGBWW CURTAIN

		RGBWW			
1,6 m	4 m		48	8	FT-JL256

ACCESSORIES REQUIRED FOR THIS REFERENCE

DESIGNATION		
transformer amplifier 12V/50W	50W	FT-TRAS50
animator / transformer 12V/50W	50W	FT-TRC50



PRODUCT DETAILS

iLED Colour Tech Innovation by Blachere©
A product developed exclusively for the Champs-Élysées, now available to all our clients. Recreate the world's most beautiful avenue in your own town!
- New LED shape
- Brighter (10 lumens/pixel)




JOYLIGHT® LED+ CURTAINS
slowflash

rubber | IP66-69 | 230V | IK06



SLOWFLASHS

		LED	SLOWFLASH					
2 m	1,50 m	150	60	13	15	27	FL74F+	FL74BF+
2 m	1,50 m	150	60	13	15	27	FL74WF+	FL74WBF+
2 m	3 m	240	120	25	15	18	FL70F+	FL70WBF+
2 m	3 m	240	120	25	15	18	FL70WF+	FL70BF+
2 m	5 m	360	180	60	15	9	FL75F+	FL75BF+
2 m	5 m	360	180	60	15	9	FL75WF+	FL75WBF+
2 m	7 m	510	240	60	15	9	FL72F+	FL72BF+
2 m	7 m	510	240	60	15	9	FL72WF+	FL72WBF+
2 m	10 m	690	360	69	15	9	FL79F+	FL79BF+
2 m	10 m	690	360	69	15	9	FL79WF+	FL79WBF+



ACCESSORIES REQUIRED FOR THESE REFERENCES

	DESIGNATIONS			
1,50 m	power cable		FY08+	FY08-B+
0,20 m	bridge rectifier	690W max	FY043A+	FY043A-B+
0,20 m	bridge rectifier	230W max	FY041A+	FY041A-B+

PRODUCT DETAILS

INNOVATION Blachere exclusive - Guarantee 2 years (conditions : contact us)
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.




JOYLIGHT® LED+ CURTAINS
statics



STATICS

		LED					
2 m	1,50 m	210	13	15	27	**FL74+**	**FL74-B+**
2 m	1,50 m	210	13	15	27	**FL74W+**	**FL74W-B+**
2 m	3 m	360	25	15	18	**FL70+**	**FL70-B+**
2 m	3 m	360	25	15	18	**FL70W+**	**FL70W-B+**
2 m	5 m	540	60	15	9	**FL75+**	**FL75-B+**
2 m	5 m	540	60	15	9	**FL75W+**	**FL75W-B+**
2 m	7 m	750	60	15	9	**FL72+**	**FL72-B+**
2 m	7 m	750	60	15	9	**FL72W+**	**FL72W-B+**
2 m	10 m	1050	69	15	9	**FL79+**	**FL79-B+**
2 m	10 m	1050	69	15	9	**FL79W+**	**FL79W-B+**



ACCESSORIES REQUIRED FOR THESE REFERENCES

	DESIGNATIONS			
1,50 m	power cable		**FY08+**	**FY08-B+**
0,20 m	bridge rectifier	690W max	**FY043A+**	**FY043A-B+**
0,20 m	bridge rectifier	230W max	**FY041A+**	**FY041A-B+**

PRODUCT DETAILS

INNOVATION Blachere exclusive - Guarantee 2 years (conditions : contact us)
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.




JOYLIGHT® CURTAINS
flash

rubber | IP66 | 230V | incl.



FLASHS

			LED	FLASH				
	2 m	0,80 m	140	28	14	14	30	21CBFX
	2 m	0,80 m	140	28	14	14	30	21CWBFX
	2 m	1,50 m	210	30	15	15	25	24CBFX
	2 m	1,50 m	210	30	15	15	25	24CWBFX
	2 m	1,50 m	210	30	15	15	25	24CBLFX
	2 m	1,50 m	210	30	15	15	25	24CRFX
	2 m	3 m	420	56	33	14	16	20CBFX
	2 m	3 m	420	56	33	14	16	20CWBFX
	2 m	3 m	420	56	33	14	16	20CBLFX
	2 m	3 m	420	56	33	14	16	20CRFX
	2 m	5 m	900	90	55	15	12	25CBFX
	2 m	5 m	900	90	55	15	12	25CWBFX
	2 m	5 m	900	90	55	15	12	25CBLFX
	2 m	5 m	900	90	55	15	12	25CRFX
	2 m	7 m	1200	120	80	15	8	22CBFX
	2 m	7 m	1200	120	80	15	8	22CWBFX
	2 m	10 m	1350	135	84	15	8	29CBFX
	2 m	10 m	1350	135	84	15	8	29CWBFX



PRODUCT DETAILS

Ideal for decorating facades, trees or for cross-street motifs. Up to 30 curtains on the same power supply. Compatible with the entire range. Connection options with the Octoplus 230V by Blachere® accessories.




JOYLIGHT® CURTAINS
statics



STATICS

		LED				
2 m	1,50 m	342	30	18	20	**24C-B**
2 m	1,50 m	342	30	18	20	**24CW-B**
2 m	3 m	540	35	18	15	**20C-B**
2 m	3 m	540	35	18	15	**20CW-B**
2 m	5 m	900	65	18	9	**25C-B**
2 m	5 m	900	65	18	9	**25CW-B**
2 m	7 m	1080	72	18	9	**22C-B**
2 m	7 m	1080	72	18	9	**22CW-B**
2 m	10 m	1350	58	18	10	**29C-B**
2 m	10 m	1350	58	18	10	**29CW-B**



PRODUCT DETAILS

Ideal for decorating facades, trees or for cross-street motifs. Up to 20 curtains on the same power supply. Compatible with the entire range. Connection options with the Octoplus 230V by Blachere® accessories.




JOYLIGHT® CURTAINS
slowglow effect

rubber | IP66 | 230V | incl.



SLOWGLOW

		SLOWGLOW				
2 m	1,5 m	120	16	15	12	**24SG**
2 m	1,5 m	120	16	15	12	**24WSG**
2 m	3 m	180	15	15	12	**20SG**
2 m	3 m	180	15	15	12	**20WSG**
2 m	5 m	210	17	15	12	**25SG**
2 m	5 m	210	17	15	12	**25WSG**
2 m	7 m	225	17	15	12	**22SG**
2 m	7 m	225	17	15	12	**22WSG**
2 m	10 m	270	15	15	12	**29SG**
2 m	10 m	270	15	15	12	**29WSG**



PRODUCT DETAILS

New animation exclusive to Blachere Illumination. Gentle lighting snowflake effect. Compatible with the entire range. Connection options with 230V Octoplus® accessories by Blachere®.




JOYLIGHT® 24V CURTAINS
flashs



FLASHS

			LED	SLOWGLOW				
	2 m	3 m	300	60	12,5	15	2	FL203-FX
	2 m	3 m	300	60	12,5	15	2	FL203W-FX
	2 m	3 m	300	60	12,5	15	2	FL203B-FX
	2 m	3 m	300	60	12,5	15	2	FL203P-FX
	2 m	3 m	300	60	12,5	15	2	FL203R-FX



PRODUCT DETAILS

Unbeatable value for money with proven reliability. An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.




ECO LIGHT CURTAINS
flashs or statics

rubber | IP65 | 230V | incl.




FLASHS

		LED	FLASH				
2 m	1,50 m	180	30	15	15	20	**ECOX24W-F**
2 m	3 m	315	45	20	15	15	**ECOX20W-F**
2 m	5 m	512	64	30	16	12	**ECOX25W-F**



STATICS

		LED	FLASH				
2 m	1,50 m	210	x	15	15	20	**ECOX24-B**
2 m	1,50 m	210	x	15	15	20	**ECOX24W-B**
2 m	3 m	360	x	20	15	15	**ECOX20-B**
2 m	3 m	360	x	20	15	15	**ECOX20W-B**
2 m	5 m	576	x	30	16	12	**ECOX25-B**
2 m	5 m	576	x	30	16	12	**ECOX25W-B**
2 m	7 m	750	x	50	15	7	**ECOX22-B**
2 m	7 m	750	x	50	15	7	**ECOX22W-B**
2 m	10 m	1050	x	55	15	6	**ECOX29-B**
2 m	10 m	1050	x	55	15	6	**ECOX29W-B**




PRODUCT DETAILS

Unbeatable value for money with proven reliability. An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.

CHERRYLIGTH® CURTAINS
multicoloured

rubber | IP66 | 230V | incl.





STATICS

		LED				
2 m	1,50 m	180	15	15	15	**FL224C**
2 m	3 m	300	25	15	10	**FL220C**

PRODUCT DETAILS

This curtain with opaque globes diffuses a uniform light in vibrant colours that changes randomly and automatically.






«SCINTILLANCE» CURTAIN
with vertical animation

rubber | IP55 | 230V | incl.





DYNAMIC ANIMATION + FLASHS ON END OF TWIGS

		LED	FLASH			
2 m	7 m	420	80	70	10	**ECOX216W**

PRODUCT DETAILS

Created as part of the Scintillance des Champs Élysées project in 2014, this animated curtain combines a random scrolling effect across most of the strands, ending with a section of flashes. Ideal for tall trees, it can also be used on building facades. A timeless 'classic' from our catalogue, for dynamic and elegant lighting.




HONEYCOMB LIGHT® TREE NET
slowflash



SLOWFLASHS

		LED	SLOWFLASH			
2 m	2 m	204	52	11	7	**802W-F**
2 m	3 m	306	78	16	5	**803W-F**
2 m	4 m		592	23	4	**804WSF**



PRODUCT DETAILS

The honeycomb-mesh net wraps easily around trunks for quick, ergonomic lighting – around ten times faster to install than a classic garland. The brown cable, which is discreet during the day, is exclusive to Blachere Illumination.










STALACTITLIGHT iLED Color Tech by Blachere®

RGBWW - multicoloured



RGBWW STALACTITLIGHT

		RGBWW			
7,40 m	0,8 m	256	48	48	FT-IC256B



ACCESSORIES REQUIRED FOR THESE REFERENCES

DESIGNATION		
transformer amplifier 12V/50W	50W	FT-TRAS50
animator / transformer 12V/50W	50W	FT-TRC50

PRODUCT DETAILS

iLED Colour Tech Innovation by Blachere©
A product developed exclusively for the Champs-Élysées, now available to all our clients. Recreate the world's most beautiful avenue in your own town!
- New LED shape
- Brighter (10 lumens/pixel)





STALACTITLIGHT DUO COLORS®

slowflash effect

rubber · IP66 · 230V · incl.









Pure white → → → → Warm white

SLOWFLASHS

		LED	SLOWFLASH				
4,50 m	1 m	192	48	16	36	15	330BWWF



PRODUCT DETAILS

2 in 1 products!
Your garland can be either warm white or pure white. Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



STALACTITLIGHT® LED+
slowflashs or statics

rubber | IP66-69 | 230V | IK06




SLOWFLASHS

		LED	SLOWFLASH				
4,50 m	0,80 m	120	60	13	48	20	**FL390BF+**
4,50 m	0,80 m	120	60	13	48	20	**FL390WBF+**

STATICS

		LED	SLOWFLASH				
4,50 m	0,80 m	180	x	13	48	20	**FL390-B+**
4,50 m	0,80 m	180	x	13	48	20	**FL390W-B+**



ACCESSORIES REQUIRED FOR THESE REFERENCES

	DESIGNATION			
1,50 m	power cable		**FY08+**	**FY08-B+**
0,20 m	bridge rectifier	690W max	**FY043A+**	**FY043A-B+**
0,20 m	bridge rectifier	230W max	**FY041A+**	**FY041A-B+**

PRODUCT DETAILS

INNOVATION Blachere exclusive - Guarantee 2 years (conditions : contact us)
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.



STALACTITLIGHT®


flashs or statics

rubber · IP66 · 230V · incl.




FLASHS

		LED	FLASH				
4,50 m	0,60 m	156	48	10	48	15	**352-FX**
4,50 m	0,60 m	156	48	10	48	15	**352W-FX**
4,50 m	0,60 m	156	48	10	48	15	**352B-FX**
4,50 m	0,60 m	156	48	10	48	15	**352R-FX**
4,50 m	1 m	180	60	10	36	15	**354-FX**
4,50 m	1 m	180	60	10	36	15	**354W-FX**



STATICS

		LED	FLASH				
4,50 m	0,60 m	180	x	10	48	15	**352**
4,50 m	0,60 m	180	x	10	48	15	**352W**
4,50 m	1 m	240	x	12	36	15	**354**
4,50 m	1 m	240	x	12	36	15	**354W**
4,50 m	1,50 m	320	x	16	32	15	**353C**
4,50 m	1,50 m	320	x	16	32	15	**353CW**



PRODUCT DETAILS

An absolute must since its creation, this product is a best-seller owing to its reliability. Can be divided into sections for greater adaptability. Compatible with the entire range. Connection options with 230V Octoplus® accessories by Blachere®.




LACE STALACTITLIGHT®
slowflash effect

rubber | IP66 | 230V | incl. | N



SLOWFLASH

		LED	SLOWFLASH			
7,5 m	0,25 m	120	30	6	10	**355-FX**
7,5 m	0,25 m	120	30	6	10	**355W-FX**



PRODUCT DETAILS

New for 2026, our stalactite is a combination of a braid and a classic stalactite, creating a new decorative light festoon. Connectable end-to-end, it can illuminate large lengths either across streets or suspended. An alternative to our TSL braids. There is also the option of inserting small decorative elements using our Octoplus system.




ECO STALACTITES
flashs



FLASHS

		LED	FLASH				
4,50 m	0,80 m	90	30	9	30	15	ECOX350F
4,50 m	0,80 m	90	30	9	30	15	ECOX350WF



PRODUCT DETAILS

Unbeatable value for money with proven reliability.An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.




FIR STRING LIGHTS STALACTITES
flashs

rubber | IP66 | 230V | incl.



FLASHS

ø			LED	FLASH				
0,14 m	4,50 m	0,60 m	156	48	13	48	15	GP138L
0,14 m	4,50 m	0,60 m	156	48	13	48	15	GP139L-W



PRODUCT DETAILS

A classic choice for traditional street decorations. Quick connection accessories, extension leads, multi-socket connectors, 230V Octoplus by Blachere®.




LEDMOSPHÈRE STALACTITES

statics






micro steel wire



601WIC

STATICS

6 m	1,75 m	30	x	14	12	10	**601WIC**
23 m	0,40 m	90	x	45	90	3	**602WIC**



602WIC

PRODUCT DETAILS

String lights mounted on a steel wire which will allow an easy installation and a greater resistance. Compatible with the Octoplus 230V range. Carabiners supplied.




TREE LIGHT HP CEILING
static



STATIC

		LED				
0,6 m	20 m	198	70	3	4	415WHP



PRODUCT DETAILS

A classic choice for traditional street decorations. Quick connection accessories, extension leads, multi-socket connectors, 230V Octoplus by Blachere®.



CEILINGS
flashs or statics






micro steel wire

FLASHS

		LED	FLASH				
2 m	30 m	588	98	30	7	3	**414-FX**
2 m	30 m	588	98	30	7	3	**414W-FX**

STATICS

		LED	FLASH				
2 m	30 m	686	x	30	7	3	**414**
2 m	30 m	686	x	30	7	3	**414W**



PRODUCT DETAILS

Cover up to 180m² with a single power supply at a lower cost. The 24V/100W transformer for outdoor use, included with the 414-FX and 414W-FX string lights, allows three modules to be connected to a single transformer. Each string is reinforced with a micro-steel wire for greater durability.





DUO COLORS® BRAIDS
flashs

rubber | IP66 | 230V | incl.









Pure white → → → → Warm white



micro steel wire

FLASHS

ø		LED	FLASH			
12 cm	7,50 m	192	48	12	10	TSL4WWF



PRODUCT DETAILS

2 in 1 products!
Your garland can be either warm white or pure white.Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



TWO-TONE BRAIDS
dropdown


rubber | IP66 | 230V | incl.





DROPDOWN

	LED		
6 m	240	55	TSLWW-W
6 m	240	55	TSLBL-W



PRODUCT DETAILS

Discover our two-tone blue/white or warm white/pure white string lights, ideal for elegant decorations. Equipped with scrolling light effects and connectable to hanging lights, they create a magical, sophisticated atmosphere for all your festive occasions.


LED+ BRAIDS
slowflash

rubber · IP66 · 230V · incl.





micro steel wire



SLOWFLASHS

ø		LED	SLOWFLASH			
6 cm	60 m	648	312	60	2	TSL60+
6 cm	60 m	648	312	60	2	TSL60W+

PRODUCT DETAILS

«Ready-to-install» crossing with high light density.Mounted on a coated ø3mm steel cable. Features quick connection accessories, multi-socket connectors, and an animation kit.






NICIA® BRAIDS
flash

rubber · IP66 · 230V · incl.





FLASHS

ø		LED	FLASH			
6 cm	6 m	432	48	23	9	558-FX
6 cm	6 m	432	48	23	9	558W-FX

PRODUCT DETAILS

Unbeatable value for money and proven reliability. A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.


BRAIDS
flash or static

rubber | IP66 | 230V | incl.





micro steel wire



FLASHS


ø		LED	FLASH			
12 cm	7,50 m	210	30	13	13	TSL3FX
12 cm	7,50 m	210	30	13	13	TSL3WFX

STATICS

ø		LED	FLASH			
6 cm	7,50 m	240	x	13	13	TSL2
6 cm	7,50 m	240	x	13	13	TSL2W

PRODUCT DETAILS

«Ready-to-install» crossing with high light density.Mounted on a coated ø3mm steel cable. Features quick connection accessories, multi-socket connectors, and an animation kit.






ECO BRAIDS
flash

rubber | IP65 | 230V | incl.





micro steel wire



FLASHS

ø		LED	FLASH			
12 cm	7,50 m	160	20	10	15	ECOXSL3F
12 cm	7,50 m	160	20	10	15	ECOXSL3WF


PRODUCT DETAILS

Unbeatable value for money and proven reliability. A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



HANGING BOUQUETS
flashs

PVC | 24V





LARGE INDOOR MODEL

IP20

ø			LED	FLASH				
80 cm	x	x	441	63	18	x	FCL080A	
80 cm	x	x	441	63	18	x		FCL080G
DESIGNATION								
Indoor transformer for FCL bouquet - sold separately							25	PRTR24VI

LARGE OUTDOOR MODEL

IP55


ø			LED	FLASH				
80 cm	x	x	441	63	18	x	FCL080A-E	
80 cm	x	x	441	63	18	x		FCL080G-E
DESIGNATION								
Outdoor transformer for FCL bouquet - sold separately							25	PRTR24V


SMALL OUTDOOR MODEL

IP55 | N

ø			LED	FLASH				
30 cm	2 m	2 m	735	105	24	5	FL930A-E	
30 cm	2 m	2 m	735	105	24	5		FL930G-E

drawing of installation:





FL930A-E, FL930G-E

PRODUCT DETAILS

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect. Working with a PRTR24VI or PRTR24V transformer - sold separately.Compatible with 24V Octoplus extension leads.



TWIGS STRING LIGHTS







SET OF 3 TWIGS

	LED		
3x1,80 m	3x161	3x5	**BRIN180**
3x1,80 m	3x161	3x5	**BRIN180W**

ACCESSORIES REQUIRED FOR THESE REFERENCES

DESIGNATION	
24V – 3 output transformer for BRIN180/180W	**FY04BRIN**
double output Y connector	**FY030M**


PRODUCT DETAILS


Save 40 % on installation time!
Quick and easy tree wiring thanks to the double-output Y connector FY030M. Operates with 24V transformer 24V FY04BRIN. 3 outputs for twig BRIN180/180W supplied with 3 x 2m extension leads for connecting up to 6 sets of 3 branches on a single power supply.

HANGING MOTIFS
X-Led effect

PVC · IP55 · 24V · incl.







SET OF 5 DECORATIONS

ø	◆	◆	LED	ϟ			■
25 cm	1,20 m	3 m	270	25			FXL920E
23 x 20 cm	1,20 m	3 m	270	25			FXL920S

PRODUCT DETAILS

Ideal for embellishing your trees or hanging from strand lights. Enjoy exclusive Xled animations! Set includes 5 decorations. Remember to attach the mini decorations with the suspension cables supplied.





HANGING SPARKLING STARS
animated

PVC · IP55 · 24V





SET OF 10 STARS

N

ø	◆	◆	LED	ϟ		■
23 cm	2 m	3 m		40	10	FL900S

SET OF 10 SNOWFLAKES

ø	◆	◆	LED	ϟ		■
25 cm	2 m	3 m		18	10	FL900WW
25 cm	2 m	3 m		18	10	FL900E
25 cm	2 m	3 m		18	10	FL900EW
25 cm	2 m	3 m		18	10	FL900EM

INDIVIDUAL SNOWFLAKE

ø	◆	◆	LED	ϟ	□
25 cm	x	x		3	G-FL900
25 cm	x	x		3	G-FL900WW

DESIGNATION	
230V -> 24V transformer with Octoplus connector - sold separately	FYPRTR9B

PRODUCT DETAILS

Discover the two-tone warm white/cool white glow: 2 effects in 1, exclusive to Blachere! A best-seller with a patented design, this product provides smooth animation and an elegant daytime effect thanks to the white polycarbonate. Easy to install on trees or ropes with the hooks included. Available individually or in packs of 10.


HANGING BALLS
flame effect

PVC · IP55 · 24V





Suspensions chains
& safety cable 60 cm



SET OF 5 SPHERES

incl.

ø	◆	◆	LED	ϟ		■
20 cm	1,20 m	3 m		18	5	FL920LU

INDIVIDUAL SPHERE

ø	◆	◆	LED	ϟ	■
20 cm	x	x		3	G-FL920LU

DÉSIGNATION	
230V -> 24V transformer with Octoplus connector - sold separately	FYPRTR9B

PRODUCT DETAILS


Perfect for decorating trees or hanging from strand lights. Recreate the warm atmosphere of candlelight with a unique sparkling animation. Add a fashionable retro touch to your decorations! Available in packs of 5 GLOBES or individually.





HANGING BALLS
multicoloured RGB


PVC · IP55 · 24V







60 cm suspension and
securing cable



SET OF 5 SPHERES

incl.

ø	◆	◆	LED	ϟ		■
20 cm	1,20 m	3 m		24	5	FL920M

INDIVIDUAL SPHERE

ø	◆	◆	LED	ϟ	■
20 cm	x	0,50		5	G-FL920M

DESIGNATION	
230V -> 24V transformer with Octoplus connector - sold separately	FYPRTR9B

PRODUCT DETAILS

Perfect for decorating trees or hanging from ropes. Create a colourful pop atmosphere RGB animation, a unique effect! Available in packs of 5 GLOBES or individually.




NOSTALGIA XL HANGING BULBS
flash





60 cm suspension and securing cable



INDIVIDUAL BULB

ø			LED	FLASH			
28 cm	x	0,50	100	50	4		G-FL930BB


DESIGNATION

230V -> 24V transformer with Octoplus connector - sold separately	FYPRTR9B

SET OF 4 BULBS

incl.

ø			LED	FLASH			
28 cm	2 m	2 m	400	200	18	4	FL930BB




PRODUCT DETAILS

Perfect for enhancing your trees or hanging on cables, these oversized bulbs offer a captivating sparkle. Add a trendy retro touch to your decorations! Available in a set of 4 bulbs with a transformer included, or individually.Equipped with a stainless aluminum base for optimal durability.

HANGING SPHERES
micro led and flashs





SET OF 4 SPHERES

ø			LED	FLASH			
30 cm	2 m	2 m	400	200	18	4	FL930A


PRODUCT DETAILS

Set of 4 decorative light balls, perfect for illuminating your trees and creating a magical atmosphere. Easy to install, they give off a soft glow for your festive celebrations or seasonal decorations.





HANGING BRANCHES
micro led



MICRO LED

	LED				
1,2 m	288	6	24	4	BRIN288
1,2 m	288	6	24	4	BRIN288W


DESIGNATION	
extension cable 2m	FY04W-PVC


PRODUCT DETAILS

Super easy installation. It will ideally decorate lamp posts and facades. Accessories sold separately.

XLED HANGING STEMS
double drop double-sided

PVC · IP55 · 9,5V · incl.





X-LED STEM

		LED				
2,70 m	0,50 m	320	12	5	2	FXL055
2,70 m	0,80 m	480	17	5	2	FXL085

X-LED STEM FOR B22/230V SOCKET FY03B22 ACCESSORIES

		LED				
	0,80 m	96	2	x	x	FXL08-B22

DESIGNATION	
Multi ends power supply	FY04FXL

PRODUCT DETAILS

A smooth double-drop animation, exclusive to Blachere. Double-sided rods for 360-degree luminosity. Can be used for a wide range of applications, including facades, street crossings and tree decorations. Multi-output accessory FY04FXL : 20 stems on a single power supply !






HANGING STEMS
flashs

rubber · IP66 · 230V · incl.





FLASHS

		LED	FLASH				
1,20 m	1,20 m	480	120	50	6	3	950-FX
1,20 m	1,20 m	480	120	50	6	3	950W-FX

PRODUCT DETAILS

Very light products for hanging on all types of branches. Pack of 6 drop decorations.




HANGING LIGHTS
foldable



HANGING LIGHTS FOLDABLE - 230V

ø	◆	◆	LED	FLASH	ϟ	
0,60 m	0,60 m	0,60 m	70	6	4	G-SPHERE
0,60 m	0,60 m	0,60 m	41	4	4	G-STAR

DESIGNATION	
power cable 230V - sold separetely	FY08-B+
bridge rectifier 230V - sold separetely	FY041A-B+






HANGING LIGHTS FOLDABLE - 24V

ø	◆	◆	LED	FLASH	ϟ	
0,60 m	0,60 m	0,60 m	88	x	10	G-STAR+
0,60 m	0,60 m	0,60 m	88	x	10	G-STARW+
0,60 m	0,60 m	0,60 m	136	x	12	G-MONT+
0,60 m	0,60 m	0,60 m	136	x	12	G-MONTW+
0,60 m	0,60 m	0,60 m	144	x	12	G-SPHER+
0,60 m	0,60 m	0,60 m	144	x	12	G-SPHERW+

DESIGNATION	
transformer - sold separetely	PRTR24V



PRODUCT DETAILS

These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately. Compatible with the entire range.



FILS LUMIÈRE®
statics

rubber | 230V | incl.



FIL LUMIÈRE® ÉCO

ø	⧫	LED	LED DENSITY/m	↯	IP	
12 mm	roll of 90 m		30	3	55	**NL5011**
12 mm	roll of 90 m		30	3	55	**NL5011W**
12 mm	roll of 90 m		30	3	55	**NL5012**
12 mm	roll of 90 m		30	3	55	**NL5014**
12 mm	roll of 90 m		30	3	55	**NL5016**
12 mm	roll of 90 m		30	3	55	**NL5013**

FIL LUMIÈRE ÉCO - 30 Leds/m



FIL LUMIÈRE® PLATINIUM

ø	⧫	LED	LED DENSITY/m	↯	IP	
12 mm	roll of 50 m		30	4	66-69	**NLEDU51**
12 mm	roll of 50 m		30	4	66-69	**NLEDU51W**
12 mm	roll of 50 m		30	4	66-69	**NLEDU52**
12 mm	roll of 50 m		30	4	66-69	**NLEDU54**
12 mm	roll of 50 m		30	4	66-69	**NLEDU56**
12 mm	roll of 50 m		30	4	66-69	**NLEDU53**

FIL LUMIÈRE PLATINIUM - 30 Leds/m



FIL LUMIÈRE® DUO COLORS©

ø	⧫	LED	LED DENSITY/m	↯	IP	
13 mm	roll of 25 m		30	3,5	66	**NLEDWW**

FIL LUMIÈRE DUO COLORS - 30 Leds/m



PRODUCT DETAILS

FIL LUMIÈRE® platinium :
Ideal for showcasing facades. Comes with 3 special LED power supplies, 3 end caps and 3 connectors. Strictly for professional use, not for retail sale in shops.

FIL LUMIÈRE® Duo Colors® : 2 in 1 products!
Your string lights can be either warm white or pure white. Reverse the connection to get pure white or warm white.




BUNCH LIGHT® BOUQUETS
with RGBWW LEDs

PVC · IP66 · 26V










RGBWW LED

		LED			
6 m	0,6 m	48	8,7	3	KBRGBWW




PRODUCT DETAILS

Our new Bunch Light® RGBWW Bouquets can be placed on the floor to create animated, multi-coloured lighting surfaces. They can be custom-controlled to create an overall lighting design. Each bead can be controlled like a pixel to create a multicoloured field of light. The rods are flexible and move with the wind, creating an animated and truly magical display. This product is sold in packs of 6 bouquets, each made up of 8 RGBWW beads. If your project requires a customised analysis, please contact your account manager.

HANGING BALLS
inflatable





SET OF 4 BALLS

Ø	LED	RÉFÉRENCES
0,5 m		BG50-1
0,5 m		BG50-2
0,5 m		BG50-3
0,5 m		BG50-4

PRODUCT DETAILS

Passive decorative balls, ideal for decorating ceilings or trees by day or night. Inflates on site with a simple compressor. Set of 4 balls, for outdoor use.





PROJECTORS & WALL-WASHED
RGBW-DMX



RGBW WALL-WASHES

		LED		REFERENCES
0,50 m	0,40 m	8	40	PRJR6-DMX
1,00 m	0,72 m	16	75	PRJR4-DMX

RGBW PROJECTORS

			LED SMD		REFERENCES
170 mm	330 mm	210 mm	15	115	PRJP5-DMX
150 mm	210 mm	120 mm	6	35	HLPRJPDMX

DESIGNATIONS	REFERENCES
DMX extension lead - 6m	FY5P-DMX
DMX signal extension lead - 6m	FY5S-DMX

PRODUCT DETAILS

Range of RGB strip lights. Perfect for facades or monument illuminations. Use of the SMD RGB led for a better lighting result.

LED PROJECTORS
round





ROUND SPOTLIGHTS FOR TREES (SET OF 2)

	LED		REFERENCES
180 x 55 x 24 mm	2 x 6	2 x 6W	PRJA
180 x 55 x 24 mm	2 x 6	2 x 6W	PRJA-W

ACCESSORIES REQUIRED FOR THESE REFERENCES

DESIGNATIONS	REFERENCES
black switch-mode power supply 24V dc 25W (for a set of 2)	PRTR24N
elastic strap for PRJA-W and PRJA projectors	FYSDOW
protective and adhesive foam (set of 10)	FY-MOUS

PRODUCT DETAILS

Light up the trunks or branches of your trees with our round micro spotlights! Mini size but super powerful! Bright, elegant and easy to install. Totally safe for the public (24V) and the trees (elastic ties +protective foam).



LED PROJECTOR
decorative



LED DECORATIVE SPOTLIGHT - UNIT - IP65 - CLASS 1

			LED SMD		REFERENCES
77 mm	66 mm	95 mm	6	6	PRJP-03W+

PRODUCT DETAILS

Decorative spotlight, ideal for creating a soft, warm atmosphere.

GOBO PROJECTORS



GOBO pattern included :



PROJECTEUR GOBO*

ø		⬍	LED	ϟ	REFERENCE
130 mm	x	310 mm	1	75	**PRJPGOBO3**

**20° focal lenght - Weight: 3.3 kg.*

Throw ratio (distance/image size):
- 3 m for 1,10 m
- 5 m for 1,80 m
- 10 m for 3,60m

PRODUCT DETAILS

Rotating function with 3 speeds and fixed position. Includes 4 gobo lenses (Blue Stars, White Snowflakes, Santa Claus – Sleigh, Pink October). Supplied in a metal case for storage and transport.



ACCESSORIES
& technical solutions

OUR STEERING SOLUTIONS

It's time to step up the smart city movement to save more energy.

Eco-designed equipment that is sustainable and smart energy management are part of any global eco-friendly urban policy. Blachere Illumination is committed to working alongside cities and developing innovative solutions to protect our planet and our future.

With our lighting management systems, you can remotely manage lighting with a single click. Whether it's with **our range of timer boxes or our MASTER+SAVER global control system on the next page.**

This makes it easier for the city to manage its electricity resources in line with its ecological and sustainable development aspirations.




ON/OFF BOX
WITH REMOTE CONTROL

When you fit your set with this remote control switch, you can install and connect your set to the public lighting system in advance and switch it on manually with the remote control on the day of the lighting show, without having to interact with the box installed on lighting set.

Box ref: **TERUP**
Remote control ref: **TERUP-C** (can control multiple TERUP boxes)

- SIMPLE **ON/OFF** CONTROL
- WORK **VIA REMOTE CONTROL**




TEMPO 2 BOX
UNIVERSAL & 7-HR PROGRAMMABLE

When you fit your set with the TEMPO2 box, you can disconnect it from the public lighting network. Sets are switched off automatically after 7 hours, from the moment the street lighting switched on. By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer using the remote control.

Compatible with Octoplus and/**or any other decor.**
Box ref : **TEMPO2**

- AUTOMATIC **7-HOUR** TIME DELAY
- CONTROL IS **ON THE BOX**




TEMPO+ BOX
PROGRAMMABLE FROM 5 TO 10 HRS

When you fit your set with the TEMPO+ box, you can disconnect it from the public lighting network and can adjust the lighting times you want and programme the lights to go out. A long press means you can select 5, 6, 7, 8, 9 or 10 hours of illumination followed by automatic switchoff. By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer with the remote control. Octoplus compatible.

Box ref : **TEMPO+**

- TIME DELAY SELECTABLE **BETWEEN 5 AND 10 HOURS**
- CONTROL IS **ON THE BOX**




MASTER+SAVER SYSTEM

Fit your light displays with SAVER boxes.
One of the lighting sets will be «group leader» and will be equipped with a MASTER box. The MASTER box can be programmed with the switch-on times/days and will communicate the same information to all the SAVERS via Bluetooth.


The distance between SAVER and MASTER must not exceed 50m.

If two sets are more than 50m apart, you will need to make a new group with a new MASTER box. You also need to be close to the MASTER, with your phone in your hand and the application open, to be able to control your sets.

Lighting sets can be pre-programmed in our workshops or programmed by the customer themselves using the dedicated mobile application.



- SUPER EASY CONTROL VIA **MOBILE** APPLICATION
- CREATION OF **SET GROUPS**
- PROGRAMMING OF **SWITCH-ON DAYS AND TIMES**
- MANAGEMENT OF **SWITCH-OFF TIMES FOR ENERGY SAVINGS**
- **SECURE** W - **DATA PROTECTION**







OCTOPLUS by Blachere®
exclusive

Octoplus is the connector that enables fast and multiple connection between our decorations and most of our range of string lights. Each item that is marked "Octoplus" can therefore be connected to another "Octoplus" item. This means the combination of items is infinite just by simplifying the electrical connections.




Connector 230V Octoplus by Blachere®
Protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.



Connector 24V Octoplus by Blachere®
Protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.




Special connector RGBWW 12V
Protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.



EXAMPLE FOR A TREE


REFERENCE	QUANTITY	PAGE	REFERENCE	QUANTITY	PAGE
FY08-B+	1	278	**FYPRTR9**	1	280
FY043A-B+	1	278	**G-FL900**	1	251
FY01-3+	2	278	**FY03B22**	2	279
BTX8	1	278	**FXL08-B22**	1	258
508R-FX	10	183	**F722-L**	10	193
FY030+	4	278			

EXAMPLE FOR A TRANSVERSE MOTIF
to be mounted on PVC-coated steel cable



REFERENCE	QUANTITY	PAGE
FY08-B+	1	278
FY043A-B+	1	278
FY01-3B+	1	278
FL390WBF+	1	223
FCL080G-E	2	247
PRTR24V	2	185
FYT-B+	2	278

EXAMPLE FOR A WIDTH OF 4,50M
to be mounted on PVC-coated steel cable



REFERENCE	QUANTITY	PAGE
FY08-B+	1	278
FY043A-B+	1	278
FY01-2B+	1	278
354W	1	225
FYT-B+	2	278
FYPRTR9B	2	280
G-FL900	2	251

OCTOPLUS by Blachere®
connexions 230V




DIAGRAM / PICTURE	DESCRIPTION	OBS	■	□	■
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm2 with male plug and female Octoplus connector	Euro	**FY08+**	**FY08-B+**	-
		UK	**FY08-UK+**	**FY08-BUK+**	-
		Swiss	**FY08-S+**	**FY08-BS+**	-
		Wieland	**FY08-W**	**FY08-BW**	-
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W	**FY041A+**	**FY041A-B+**	-
		3A/690W	**FY043A+**	**FY043A-B+**	-
	Octoplus extension 230V - HO5RN-F - 2x1mm²	1m	**FY01-1+**	**FY01-1B+**	-
		2m	**FY01-2+**	**FY01-2B+**	-
		3m	**FY01-3+**	**FY01-3B+**	-
		5m	**FY01-5+**	**FY01-5B+**	-
		10m (2x5m)	**FY01-10+**	**FY01-10B+**	-
	Set of 5 end-caps plugs	-	**FY1C+**	**FY1CB+**	-
	T connector 230V (M+F/F)	-	**FYT+**	**FYT-B+**	-
	Y connector 230V (M+F/F)	-	**FY030+**	**FY030-B+**	-
	W connector 230V (M+F/F/F)	-	**FY031+**	**FY031-B+**	-
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total	-	**FY023+**	**FY023-B+**	-

DIAGRAM / PICTURE	DESCRIPTION	OBS	■	□	■
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690W max.	**BTX4**	-	-
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690W max.	**BTX8**	-	-
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	-	**FY230F2-B**	**FY230F2**
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	-	**FY230M1-B**	**FY230M1**
	Socket B22 with M/F Octoplus connector	5W max.	**FY03B22**	**FY03B22-B**	-
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	**FY07A**	-	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	**NLC60**	-	-
	Protective and adhesive foam	-	**FY-MOUS**	-	-

OCTOPLUS by Blachere®
connexions 24V

24V

DIAGRAM / PICTURE	DESCRIPTION	OBS	■	□	■
	1m extension PVC cord 24V - Connectors M-C1/F-C2	-	**FY01-PVC**	**FY01B-PVC**	**-**
	2m extension PVC cord 24V - Connectors M-C1/F-C2	-	**FY02-PVC**	**FY02B-PVC**	**-**
	5m extension PVC cord 24V - Connectors M-C1/F-C2	-	**FY05-PVC**	**FY05B-PVC**	**-**
	2 output connector PVC 24V - Connectors M-C1/F-C2	-	**FY2-PVC**	**FY2B-PVC**	**-**
	3 output connector PVC 24V - Connectors M-C1/F-C2	-	**FY3-PVC**	**FY3B-PVC**	**-**
	230V -> 24V transformer with Octoplus connector	10W max.	**FYPRTR9**	**FYPRTR9B**	**-**
	Transformer 230V / 24V with Octoplus connectors	100W	**-**	**PRTR100W**	**-**
	Collector 24V PVC L: 80cm - 4 sockets spacing 20cm	-	**FY024**	**FY024-B**	**-**

OCTOPLUS by Blachere®
tech 12V

12V

DIAGRAM / PICTURE	DESCRIPTION	OBS	■	□	■
	T connector Octoplus Tech	-	**FT-T1**	**FT-T1B**	**-**
	Octoplus Tech extension - 50 cm	-	**FT-R05**	**FT-R05B**	**-**
	Octoplus Tech extension - 1 m	-	**FT-R1**	**FT-R1B**	**-**
	Octoplus Tech extension - 2 m	-	**FT-R2**	**FT-R2B**	**-**
	3 outputs Octoplus Tech collector	-	**FT-C3**	**FT-C3B**	**-**
	12V/40W transformer	-	**-**	**FT-TR40**	**-**
	12V/100W transformer	-	**FT-TR100**	**-**	**-**
	12V/200W transformer	-	**FT-TR200**	**-**	**-**
	12V/50W amplifier/transformer	-	**-**	**FT-TRAS50**	**-**
	12V/50W amplifier/transformer	-	**-**	**FT-TRC50**	**-**
	2-way PVC connector	-	**-**	**FT-Y30**	**-**
	End-caps plug Octoplus Tech	set of 5	**FT-B**	**FT-BB**	**-**

FIL LUMIÈRE®
accessories

ELECTRICAL ACCESSORIES
fil lumière platinium ø 12mm

**The kit includes : 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC, bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.*



NLC95-12
Fil lumière® power cord kit*



NLC51L-12
Glueable L connector



NLC92-12
Standardized glueable central "spins"



NLC54-12
Glueable insulation end cap

FIXING ACCESSORIES
for fil lumière®



NLC56
x 100



NLC59



NLC61
Pot of glue PVC 250ml

REPAIR KIT*
led platinium ø 12mm - 230V - IP55

REFERENCES	⇹	COLOURS	TYPES	OTHER PRODUCTS INCLUDED IN THE KIT
NLKL01-12	10m of fil lumière®	○	(NML41)	2 power leads, glue, 10 connectors, 5 end caps
NLKL02-12	10m of fil lumière®	●	(NML42)	2 power leads, glue, 10 connectors, 5 end caps
NLKL06-12	10m of fil lumière®	●	(NML46)	2 power leads, glue, 10 connectors, 5 end caps
NLKL01W12	10m of fil lumière®	●	(NML41W)	2 power leads, glue, 10 connectors, 5 end caps

** for Blachere Illumination motifs only*

FIXING ACCESSORIES
for motifs and connexion housing



DIAGRAM / PICTURES	DESCRIPTIONS	REFERENCES
	Heart shape eye for ø 4mm cable set of 10	**D001**
	Heart shape eye for ø 6mm cable set of 10	**D011**
	Cable gripper for ø 4mm cable set of 10	**D002**
	Cable gripper for ø 6mm cable set of 10	**D012**
	Steel cable ø 4mm - 100m roll	**D005**
	Steel cable ø 6mm -100m roll	**D006**
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	**D015**
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	**D016**
	Wall mount for GOBO projector 10 mm diameter holes	**PRM-GOBO1**
	Pole mount for GOBO projector 10 mm diameter holes	**PRP-GOBO1**

DIAGRAM / PICTURES	DESCRIPTIONS	REFERENCES
	Transverse unit for fastening to pole for ø 11mm cable pair	**MA011**
	Eyebolt L : 150mm set of 2pcs	**D033**
	Galvanized steel shackle ø 10mm	**MA002**
	Mixed stretcher unit - M10 L : 22 to 30cm	**D004**
	Ø 6mm Snap hook WLL 80kg	**DOM7T**
	safety sling L : 60cm WLL : 70kg	**D026**
	Differential circuit-breaker equipped with a waterproof power plug. (for poles) Note : box subject to modification according to availability	**C001**

FIXING ACCESSORIES
for pole mounts



INVERTED CONES
1 PIX03 (up)
1 PIX04-2 (down)
2 curtains H : 5m



CYLINDER
2 PIX03
2 curtains H : 5m




CHIRSTMAS TREE
1 PIX04-2 (up)
1 PIX02 (down)
1 curtain H : 3m



FREE COMPOSITION
2 PIX03
2 FL74WBF+
1 FL900E

CIRCULAR
brackets

Put together low-price 3D decorations on your columns with our circular brackets (inner diameter adjustable).



PIX02 / PIX03
Circular bracket for assembling your 3D decorations
Inner diameter adjustable




PIX04-2
Circular bracket for assembling your 3D decorations
Inner diameter adjustable

REFERENCES	ø	PERIMETER	ø POLE	USABLE WITH
PIX04-2	25 cm	0,80 m	60 à 120 mm	curtains
PIX02	60 cm	1,90 m	60 à 200 mm	curtains
PIX03	130 cm	4,00 m	60 à 200 mm	curtains


FIXING ACCESSORIES
for suspensions





PIX01
Horizontal bracket
H: 0,90 m - L: 1,10 m
Inter distance max: 1,00 m
Load max: 25 kg







PIXECO
Horizontal bracket
H: 0,25 m - L: 0,80 m
Inter distance max: 600 mm
Load max: 10 kg

FIXING ACCESSORIES
for suspensions





PIX05B
Horizontal bracket
White lacquered
H: 0,85 m - L: 0,90 m
Inter distance max: 0,52 m
Load max : 30 kg



PIX05
Horizontal bracket
Green lacquered
H: 0,85 m - L: 0,90 m
Inter distance max: 0,52 m
Load max : 30 kg

FIXING ACCESSORIES
for motifs

Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.

D007
Stapping box including 1 cutting pliersand 1 stappin pliers.

D008
Stainless steel strap
Roll of 50m, thick-ness : 0,7mm

D009
Staple-clip for steel strapset of 100

D0010
Black protection strip for Stainless steel strap
L: 10 ml / 10 mm

FYS060N
Fixing of decorations on masts.
Black strap: l: 15mm, L: 600mm, 8cm mini ratchet, LC 50 daN
This strap is reusable and does not slip





FIX01
Fastening device for pole
Obs : sold by pair
RAL7032



PIX01P
Strengthened fastening devices for poles (wind area 3)
Obs : sold by pair
RAL7032



FIX01M
Fastening devices for facades
Obs : sold by pair
RAL7032



FIX01MC
Fastening devices for curved pole.
Obs : sold by pair
RAL7032

SOLAR ACCESSORIES

A new roundabout to decorate but no power supply?

Or looking to illuminate a street on your own with zero carbon emissions?

Choose our solar solutions.

Discreet panels, with an integrated autonomous and programmable system (switch-on and switch-off times).

Adapted light decorations, 24V string lights, and more. We offer you **a complete range that is 100% self-powered.**

All you need is sunshine!

Consult our advisory teams for a personalised analysis!



SOLAR KIT
SELF-POWERED

KITSOL
- Kit containing a solar panel with high-performance monocrystallinecells.
- Gel batteries for 2400 cycles with discharge
- Power regulator and discharge protection
- 24V or 230V output easily switched by rotary selector
- Can be fixed to the floor

PRODUCT DETAILS

- 50% battery consumption after 12 hours
- Low-power prevents battery damage.
- Easy to move thanks to flexible rubber wheels with high abrasion resistance
- Maintenance-free and easy to install



SOLAR KIT
POLE

PIXSOL2
- 20W panel power
- 7.2W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of lighting set operation

COMPATIBLE PRODUCTS

- String lights 1 x FL502...
- String lights 1 x 501CW
- String lights 1 x 501W
- String lights 1 x G-FL920LU
- Sphere 1 x G-FL920M
- Bulb 1 x G-FL930BB
- Kit 1 x PRJA et PRJA-W



SOLAR KIT
LED PROJECTOR

PIXSOL3
- 20W panel power
- 4W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of lighting set operation

COMPATIBLE REFERENCES

- PRJA or PRJA-W



BALLASTING
illuminations in flexiprint

Dress up your blocks as pretty gifts! Use our magical gifts to hide the concrete blocks in your decorations!

Depending on the features of your decoration, put together your own ballast kit and wrap your gift (size & colour).



KPL0020 - Concrete ballast block
Set of 20kg suitable for flexiprint material




KPL0040 - Concrete ballast block
Set of 40kg suitable for flexiprint material



KPL0100B - Concrete ballast block
Set of 100kg suitable for flexiprint material

Wrapping steps (clips are supplied)



Example : KPLO100B + KFLEXCA1

1. Choose your block :

REFERENCES	DESIGNATION	DIMENSIONS
KPL0020	Concrete block - 20kg	0,20 x 0,20 x 0,20 m
KPL0040	Concrete block - 40kg	0,30 x 0,30 x 0,20 m
KPL0100B	Concrete block - 100kg	0,37 x 0,37 x 0,37 m

2. Choose your cover :


REFERENCES	DESIGNATION	DIMENSIONS	COLOURS
KFLEXCA2	Block cover - PM	0,20 x 0,20 x 0,20 m	BLUE / white
KFLEXCA5	Block cover - MM	0,30 x 0,30 x 0,20 m	BLUE / white
KFLEXCA8	Block cover - GM	0,37 x 0,37 x 0,37 m	BLUE / white
KFLEXCA1	Block cover - PM	0,20 x 0,20 x 0,20 m	RED / white
KFLEXCA4	Block cover - MM	0,30 x 0,30 x 0,20 m	RED / white
KFLEXCA7	Block cover - GM	0,37 x 0,37 x 0,37 m	RED / white
KFLEXCA3	Block cover - PM	0,20 x 0,20 x 0,20 m	GREEN / white
KFLEXCA6	Block cover - MM	0,30 x 0,30 x 0,20 m	GREEN / white
KFLEXCA9	Block cover - GM	0,37 x 0,37 x 0,37 m	GREEN / white

** Enter the reference for the decoration + the block + the cover*



SCENOGRAPHY / DECORATIONS
accessories

DIAGRAM / PICTURES	DESCRIPTION	REFERENCES
	To complement your decorations, we can provide you with our real firtrees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	
	Mounting base lacquered in gold for 3D motif ø : 800mm	**PLA800OR**
	Mounting base lacquered in gold for 3D motif ø : 1200mm	**PLA1200OR**

DIAGRAM / PICTURES	DESCRIPTION	REFERENCES
		
	Opera barrier H : 1,20m L : 2,00m	**BARR01**
	White pine barrier H : 0,80m L : 1,80m	**GP506-B**

SCENOGRAPHY / DECORATIONS
accessories

DIAGRAM / PICTURES	DESCRIPTION	REFERENCES
	Square Carpet Blue 3m x 3m	**GPC300B**
	Round Carpet Blue ø : 3m	**GPR300B**
	Square Carpet Red 3m x 3m	**GPC300R**
	Round Carpet Red ø : 3m	**GPR300R**

DIAGRAM / PICTURES	DESCRIPTION	REFERENCES
	White cotton carpet roll 30m x 2,6m	**GP500**
	Red carpet roll 10m x 2m	**GP510R**
	Red - ø 140mm Set of 16	**B14-1**
	Gold - ø 140mm Set of 16	**B14-2**
	Red - ø 200mm Set of 9	**B20-1**
	Gold - ø 200mm Set of 9	**B20-2**
	Red - ø 250mm Set of 2	**B28-1**
	Gold - ø 250mm Set of 2	**B28-2**

INDEX

352 225
354 225
414 237
508 183
20C-B 207
20CBFX 205
20CBLFX 205
20CRFX 205
20CW-B 207
20CWBFX 205
20SG 209
20WSG 209
21CBFX 205
21CWBFX 205
22C-B 207
22CBFX 205
22CW-B 207
22CWBFX 205
22SG 209
22WSG 209
24C-B 207
24CBFX 205
24CBLFX 205
24CRFX 205
24CW-B 207
24CWBFX 205
24SG 209
24WSG 209
25C-B 207
25CBFX 205
25CBLFX 205
25CRFX 205
25CW-B 207
25CWBFX 205
25SG 209
25WSG 209
260-F 181
29C-B 207
29CBFX 205
29CW-B 207
29CWBFX 205
29SG 209
29WSG 209
330BWWF 221
352-FX 225
352B-FX 225
352R-FX 225
352W 225
352W-FX 225
353C 225
353CW 225
354-FX 225
354W 225
354W-FX 225
355-FX 227
355W-FX 227
414-FX 237
414W 237
414W-FX 237
415WHP 235
416WHP 187
501CW 185
501W 185
508-B 183
508B 183
508W 183
508W-B 183
510-FX 183
510B-FX 183
510BW-FX 183
510P-FX 183
510R-FX 183
510W-FX 183
511-FX 183
511B-FX 183
512-FX 183
512C 183
512CW 183
512W-FX 183
530WWF 177
558-FX 243
558W-FX 243
560-F 181
600W 189
600WWF 189
601WIC 233
602WIC 233
650W 189
802W-F 217
803W-F 217
804WSF 217
950-FX 259
950W-FX 259
B14-1 293
B14-2 293
B20-1 293
B20-2 293
B28-1 293
B28-2 293
BARR01 292
BG50-1 264
BG50-2 264
BG50-3 264
BG50-4 264
BRIN180 249
BRIN180W 249
BRIN288 257
BRIN288W 257
BTX4 279
BTX8 279
C001 283
D001 283
D002 283
D004 283
D005 283
D006 283
D007 287
D008 287
D009 287
D010 287
D011 283
D012 283
D015 283
D016 283
D026 283
D033 283
DOM7T 283
ECOX20-B 213
ECOX20W-B 213
ECOX20W-F 213
ECOX216W 215
ECOX22-B 213
ECOX22W-B 213
ECOX24-B 213
ECOX24W-B 213
ECOX24W-F 213
ECOX25-B 213
ECOX25W-B 213
ECOX25W-F 213
ECOX29-B 213
ECOX29W-B 213
ECOX350F 229
ECOX350WF 229
ECOXSL3F 245
ECOXSL3WF 245
ECOXSL3WF 245
F080W-B 169
F160 169
F160-B 169
F160W 169
F160W-B 169
F722-L 193
F732-L 193
FCL080A 247
FCL080A-E 247
FCL080G 247
FCL080G-E 247
FIX01 287
FIX01M 287
FIX01MC 287
FIX01P 287
FL203-FX 211
FL203B-FX 211
FL203P-FX 211
FL203R-FX 211
FL203W-FX 211
FL220C 214
FL224C 214
FL390-B+ 223
FL390BF+ 223
FL390W-B+ 223
FL390WBF+ 223
FL502-FX 185
FL502B-FX 185
FL502R-FX 185
FL502W-FX 185
FL525RGB 175
FL555C 194
FL590-B+ 179
FL590+ 179
FL590BF+ 179
FL590BL+ 179
FL590BLF+ 179
FL590F+ 179
FL590R+ 179
FL590RF+ 179
FL590W-B+ 179
FL590W+ 179
FL590WBF+ 179
FL590WF+ 179
FL70-B+ 203
FL70+ 203
FL70BF+ 201
FL70F+ 201
FL70W-B+ 203
FL70W+ 203
FL70WBF+ 201
FL70WF+ 201
FL72-B+ 203
FL72+ 203
FL72BF+ 201
FL72F+ 201
FL72W-B+ 203
FL72W+ 203
FL72WBF+ 201
FL72WF+ 201
FL74-B+ 203
FL74+ 203
FL74BF+ 201
FL74F+ 201
FL74W-B+ 203
FL74W+ 203
FL74WBF+ 201
FL74WF+ 201
FL75-B+ 203
FL75+ 203
FL75BF+ 201
FL75F+ 201
FL75W-B+ 203
FL75W+ 203
FL75WBF+ 201
FL75WF+ 201
FL79-B+ 203
FL79+ 203
FL79BF+ 201
FL79F+ 201
FL79W-B+ 203
FL79W+ 203
FL79WBF+ 201
FL79WF+ 201
FL900E 251
FL900EM 251
FL900EW 251
FL900S 251
FL900WW 251
FL920LU 252
FL920M 253
FL930A 256
FL930A-E 247
FL930BB 255
FL930G-E 247
FT-B 281
FT-BB 281
FT-C3 281
FT-C3B 281
FT-IC256B 219
FT-JL256 199
FT-R05 281
FT-R05B 281
FT-R1 281
FT-R1B 281
FT-R2 281
FT-R2B 281
FT-ST128 173
FT-ST128B 173
FT-ST64 173
FT-T1 281
FT-T1B 281
FT-TR100 281
FT-TR200 281
FT-TR40 281
FT-TRAS50 173
FT-TRC50 173
FT-Y30 281
FXL055 258
FXL08-B22 258
FXL085 258
FXL920E 250
FXL920S 250
FY-MOUS 279
FY01-1+ 278
FY01-10+ 278
FY01-10B+ 278
FY01-1B+ 278
FY01-2+ 278
FY01-2B+ 278
FY01-3+ 278
FY01-3B+ 278
FY01-5+ 278
FY01-5B+ 278
FY01-PVC 280
FY01B-PVC 280
FY02-PVC 280
FY023-B+ 278
FY023+ 278
FY024 280
FY024-B 280
FY02B-PVC 280
FY030-B+ 278
FY030+ 278
FY030M 249
FY031-B+ 278
FY031+ 278
FY03B22 279
FY03B22-B 279
FY041A-B+ 278
FY041A+ 278
FY043A-B+ 278
FY043A+ 278
FY04BRIN 249
FY04FXL 258
FY04W-PVC 257
FY05-PVC 280
FY05B-PVC 280
FY07A 279
FY08-B+ 278
FY08-BS+ 278
FY08-BUK+ 278
FY08-BW 278
FY08-S+ 278
FY08-UK+ 278
FY08-W 278
FY08+ 278
FY1C+ 278
FY1CB+ 278
FY2-PVC 280
FY230F2 279
FY230F2-B 279
FY230M1 279
FY230M1-B 279
FY2B-PVC 280
FY3-PVC 280
FY3B-PVC 280
FY5P-DMX 265
FY5S-DMX 265
FYPRTR9 280
FYPRTR9B 280
FYS060N 287
FYSDOW 268
FYT-B+ 278
FYT+ 278
G-FL900 251
G-FL900WW 251
G-FL920LU 252
G-FL920M 253
G-FL930BB 255
G-MONT+ 261
G-MONTW+ 261
G-SPHER+ 261
G-SPHERE 261
G-SPHERW+ 261
G-STAR 261
G-STAR+ 261
G-STARW+ 261
GP1-400 71
GP1-600 71
GP134L-W 197
GP134LWFX 197
GP138L 231
GP139L-W 231
GP158WF 71
GP303W 195
GP304W 195
GP500 295
GP506-B 292
GP510R 293
GPC300B 293
GPC300R 295
GPR300B 293
GPR300R 295
GR098C 191
GR098CN 191
GR099C 191
GR099CN 191
GR100C 191
GR100C-B 191
GR100CN 191
GR112C 191
GR112CN 191
GR113C 191
GR113CN 191
GR1C 191
GR1CN 191
GR2C 191
GX048LW 130
GX070LR 53
GX079L 49
GX081LW-2 74
GX082LW 74
GX083LW 74
GX086L 44
GX086L-A 44
GX087L 33
GX092L 36
GX093L 36
GX098L 45
GX102LW 40
GX103L 158
GX103L-A 158
GX105L 43
GX114LW 100
GX116LW 130
GX117LW 130
GX118DC 39
GX118L 43
GX119L 43
GX132L 35
GX133L 44
GX145L 48
GX145L-A 48
GX146L 159
GX147L 49
GX148L 34
GX149L 49
GX151L 38
GX152L 38
GX153L 35
GX154LW 53
GX155LW 54
GX156LW 58
GX159L 42
GX160L 48
GX163L 33
GX164L 43
GX172LW 46
GX173L 60
GX175LW 60
GX184L 50
GX184LW 50
GX185LW 61
GX193L 22
GX194L 39
GX200L 159
GX205L 49
GX206L 49
GX244L 41
GX245LW 47
GX247L-A 41
GX248LR 42
GX251L 67
GX251LW 67
GX252L 51
GX252LW 51
GX253LW 67
GX256LW 46
GX257LW 46
GX258L 47
GX258LW 47
GX259LW 43
GX260L 37
GX260LW 37
GX261LW 36
GX262LW 42
GX263L 40
GX264LW 41
GX265LW 33
GX266DC 61
GX267LW 41
GX308L 34
GX327L 58
GX327LW 58
GX333L 32
GX344L 63
GX344LW 63
GX345L 31
GX346L 28
GX347L 30
GX348L 29
GX349L 30
GX350LW 47
GX354L 62
GX354LW 62
GX355LW 62
GX356L 28
GX357L 31
GX358L 40
GX419L 22
GX420L 23
GX421L 23
GX422L 23
GX423L 18
GX424L 19
GX425RGB 19
GX426L 18
GX427RGB 19
GX428DC 26
GX428RGB 19
GX429L 26
GX430L 27
GX431L 27
GX432LR 54
GX432LW 54
GX433L 23
GX433L-UK 23
GX434L 22
GX434L-UK 22
HLPRJPDMX 265
IPL191B 146
IPL191R 146
IPL191W 146
IPL199 136
IPL199W 136
IPL200 136
IPL200W 136
IPL201 136
IPL201W 136
IPL202W 96
IPL203W 96
IPL228B 150
IPL228W 150
IPL230 84
IPL230W 84
IPL231W 96
IPL257 144
IPL257B 144
IPL257W 144
IPL258 144
IPL258B 144
IPL258W 144
IPL259 146
IPL259W 146
IPL260W 146
IPL265W 98
IPL266W 98
IPL267W 98
IPL268W 98
IPL270R 122
IPL270W 122
IPL271R 122
IPL271W 122
IPL272 108
IPL272W 108
IPL282DC 155
IPL283DC 155
IPL284DC 155
IPL285DC 155
IPL286DC 155
IPL300B 104
IPL300W 104
IPL311 104
IPL311W 104
IPL317R 96
IPL318R 96
IPL319R 96
IPL320R 96
IPL322 134
IPL323W 134
IPL324W 112
IPL325W 112
IPL326W 112
IPL328W 108
IPL329W 108
IPL330W 108
IPL332W 114
IPL333W 108
IPL334W 114
IPL335 82
IPL335W 82
IPL336 82
IPL336W 82
IPL337 82
IPL337W 82
IPL340W 150
IPL341B 94
IPL341W 92
IPL342B 94
IPL342W 92
IPL343B 94
IPL343W 92
IPL350B 142
IPL351B 142
IPL352B 142
IPL362W 102
IPL363W 102
IPL365RGB 102
IPL366RGB 102
IPL367B 134
IPL368B 134
IPL369B 134
IPS264W 157
IPS280 157
IPS280W 157
IPS281W 157
IPS289W 157
IPS290 157
ITGL100 100
ITGL101W 100
ITGL104 124
ITGL104W 124
ITGL105 124
ITGL105W 124
ITGL111 128
ITGL111W 128
ITGL112 152
ITGL112W 152
ITGL117R 128
ITGL130W 130
ITGL131 128
ITGL131W 128
ITGL141 128
ITGL170B 100
ITGL170W 100
ITGL179BW 110
ITGL179WW 110
ITGL180BW 110
ITGL180WW 110
ITGL182BW 110
ITGL182WW 110
ITL009 120
ITL020W 88
ITL033W 112
ITL053 124
ITL053W 124
ITL059W 138
ITL061 120
ITL072W 138
ITL076W 120
ITL077W 98
ITL083W 150
ITL101 88
ITL101W 88
ITL102W 88
ITL113W 118
ITL115W 152
ITL118W 138
ITL127W 138
ITL129 86
ITL129W 86
ITL130 86
ITL130W 86
ITL161W 84
ITL163 88
ITL165W 98
ITL191B 148
ITL191W 148
ITL218W 96
ITL226W 96
ITL227B 146
ITL227W 146
ITL232W 134
ITL233 88
ITL234W 150
ITL261 144
ITL261B 144
ITL261W 144
ITL262 144
ITL262B 144
ITL262W 144
ITL266W 98
ITL275R 122
ITL276R 122
ITL276W 122
ITL277W 122
ITL278W 122
ITL279R 122
ITL279W 122
ITL282DC 155
ITL288DC 155
ITL291 84
ITL291W 84
ITL310 104
ITL310W 104
ITL312 136
ITL312W 136
ITL314 136
ITL314W 136
ITL315 88
ITL316W 88
ITL321R 96
ITL327W 112
ITL328W 108
ITL331W 108
ITL332W 108
ITL333W 108
ITL336W 84
ITL338 82
ITL338W 82
ITL344B 94
ITL344W 92
ITL345B 94
ITL345W 92
ITL346B 94
ITL346W 92
ITL347B 96
ITL347W 96
ITL348B 94
ITL348W 92
ITL349B 94
ITL349W 92
ITL353B 142
ITL354B 142
ITL355B 142
ITL361W 120
ITL364W 102
ITL365RGB 102
ITL366RGB 102
ITL368B 134
ITL370B 134
ITL371B 134
KBRGBWW 267
KFLEXCA1 290
KFLEXCA2 290
KFLEXCA3 290
KFLEXCA4 290
KFLEXCA5 290
KFLEXCA6 290
KFLEXCA7 290
KFLEXCA8 290
KITSOL 288
KPLO020 290
KPLO040 290
KPLO100B 290
KPLO100W 290
LDL11-B22 193
LDL11-E27 193
LDL11W-B2 193
LDL11W-E2 193
LDL12-B22 193
LDL12-E27 193
LDL13-B22 193
LDL13-E27 193
LDL14-B22 193
LDL14-E27 193
LDL16-B22 193
LDL16-E27 193
LDL18-B22 193
LDLFL-B22 193
LDLH11 193
LDLH11W 193
LDLH12 193
LDLH13 193
LDLH14 193
LDLH16 193
LDLH18 193
MA002 283
MA011 283
ML019W 114
ML020W 114
NL5011 263
NL5011W 263
NL5012 263
NL5013 263
NL5014 263
NL5016 263
NLC51L-12 282
NLC54-12 282
NLC56 282
NLC59 282
NLC60 279
NLC61 282
NLC92-12 282
NLC95-12 282
NLEDU51 263
NLEDU51W 263
NLEDU52 263
NLEDU53 263
NLEDU54 263
NLEDU56 263
NLEDWW 263
NLKL01-12 282
NLKL01W12 282
NLKL02-12 282
NLKL06-12 282
PIX01 285
PIX02 284
PIX03 284
PIX04 284
PIX05 286
PIX05B 286
PIX05B 88
PIX05W 92
PIXECO 285
PIXSOL2 289
PIXSOL2 289
PIXSOL3 289
PIXSOL3 289
PL250W 138
PL344 120
PL356W 118
PL357W 118
PL362W 100
PLA1200OR 292
PLA8000R 292
PRJA 268
PRJA-W 268
PRJP-03W+ 269
PRJP5-DMX 265
PRJPGOBO3 270
PRJR4-DMX 265
PRJR6-DMX 265
PRTR100W 280
PRTR24N 268
PRTR24V 247
PRTR24VI 247
PRX10RGB 175
SC032RGB 18
SL005W 60
SL012 59
SL012W 59
SL013 59
SL013W 59
SL032 59
SL032W 59
SL033 59
SL033W 59
SL035W 56
SL036 57
SL036W 57
SL037W 57
SL038R 35
SL038W 35
SL041W 70
SL044W 56
SL045V 45
SL048 66
SL049W 66
SL050R 52
SL051W 56
SL052W 57
SL053W 28
SL054RGB 55
SL055DC 51
SL135W 51
SL136 50
SL136W 50
SLED010W 64
SND017 64
SND018 70
SND019 69
SND021 70
SND022 69
SOCL42 48
SOCL43 37
SOCL47 38
SOCLGX81 77
SOCLGX82 77
SOCLGX83 77
SV1001 68
SV1001W 68
SV1201-P 68
SV1201W-P 68
SV501 68
SV501W 68
SV502 65
SV502W 65
SV503 66
SV503W 66
SV501 68
SV501W 68
SV502 65
SV502W 64
SV504A 34
SV507W 69
SV801-P 68
SV801W-P 68
TEMPO+ 273
TEMPO2 273
TERUP 273
TERUP-C 273
TGL169LW 100
TGL247LW 130
TGL361W 100
TGL70LW 126
TGL70LWW 126
TGL71LW 126
TGL71LWCL 126
TGL71LWW 126
TGL72LW 126
TGL72LWW 126
TL311R 114
TL311W 114
TL312R 114
TL312W 114
TL347W 130
TL356W 118
TL358W 118
TL359W 118
TL360W 118
TSL2 244
TSL2W 244
TSL3FX 244
TSL3WFX 244
TSL4WWF 239
TSL60+ 242
TSL60W+ 242
TSLBL-W 241
TSLWW-W 241
VL045W 120
VL046 86

Blachere INTERNATIONAL

BLACHERE ILLUMINATION S.A.S
22 Allée des Bourguignons
84400 Apt - France
tél : +33 (0) 490 742 095
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
blachere-illumination.com

Géraldine
tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa
tél : +33 (0) 490 747 642
l.alves@blachere-illumination.com
Marion
tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Sandrine
tél : +33 (0) 490 747 396
s.cerda@blachere-illumination.com
Marie
tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy
tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

AFRIQUE/*AFRICA*

Blachere Illumination Afrique
Rue du Caire - Route de M'Saken,
4081 Zaouiet Sousse
tel : +216 73 386 601
email : gregory.roux@blachere-factory.com
fax :+216 73 386 650

ASIE PACIFIQUE/*ASIA PACIFIC*

Blachere Illumination Asia Pacific
Unit B, 17/F., United Centre, 95 Queensway,
Admiralty, Hong Kong
email : hkoffice@blachere-illumination.com

AUTRICHE/*AUSTRIA* & ALLEMAGNE/*GERMANY*

Blachere Illumination GmbH
Krenglbacher Straße 7- 4631 Krenglbach
tel : +43 (0) 7249 46400 – 0
email : office@blachere.at

BELGIQUE/*BELGIUM*

Blachere Illumination Belgique
Rue de Hermée 225, 4040 Herstal
tel : +32 4 275 02 81
email : info@blachere-illumination.be

BRÉSIL/*BRASIL*

Blachere Iluminação Brasil
Estrada do Zilo, 1519 - Distrito Industrial,
Araçariguama – São Paulo 18147-000
tel : +55 11 99512-6734
email : sergio.cmolina@cmaise.com.br

CANADA/*CANADA*

Blachere Illumination Canada
3400 14th Avenue, Unit 18, Markham, Ontario L3R 0H7
tel : 905-475-6553
email : info@blachere-illumination.ca
Web : www.blachere-illumination.ca

COLOMBIE/*COLOMBIA*

Blachere - City Lights
Carrera 33 N. 19-26, Bogotá
tel : 576 016 466 000
email : comercial@blachere.co - jklahr@blachere.co

CROATIE/*CROATIA*

Blachere Illumination Croatia (Blachere Illumination – Gospodari svjetla)
Medsave 4B, 10430 Samobor
tel : +385 1 8877 660
email : info@gospodarisvjetla.hr
Web : www.gospodarisvjetla.hr

DANEMARK/*DENMARK*

Blachere Illumination - JADA GROUP APS
Norgesvej 2, 6230 Rødekro
tel : +45 70 20 00 03
email : info@jadagroup.dk

ESPAGNE/*SPAIN*

Blachere Iluminación España s.a
Calle Corazón de Maria, 70-8E, 28002 Madrid
tel : +34 91 388 28 77
email : info@blachere-illumination.es

ÉTATS-UNIS/*USA*

Blachere Illumination USA Inc.
PO Box 41, 4198 State Highway 14 W, Christopher, IL 62822
tel : +1 618-724-1500
email : info@blachere-illumination.us
fax : +1 618-724-4500
Web : https://blachere-illumination.com/en/blachere-illumination-usa

EUROPE CENTRALE/*CENTRAL EUROPE*

Blachere Illumination Central Europe
Karadžičova 8/A, Bratislava 821 08
tel : 421918428040
email : info@blachere-illumination.sk

FINLANDE/*FINLAND*

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24, 00180 Helsinki
tel : +358 9 565 7750
email : lohikari@lohikari.fi
Web : www.lohikari.fi

HONGRIE/*HUNGARY*

Blachere Illumination Hungary
H-2142, Nagytarcsa, Csonka János út 4, K bâtiment
tel : +36 70 389 1475
email : info@blachere-illumination.hu

ITALIE/*ITALY*

Blachere Illumination Italia - Lumiworks Srl
Via Euippa 22, 73100 Lecce
tel : 393760563212
email : info@lumiworks.it

MAROC/*MOROCCO*

Blachere Illumination Maroc SARL -Sapi Centre,
1377 Parc Industriel Sapino, Nouaceur - Maroc
tel : +212 5 22 01 48 79
email : info@blachere-illumination.ma

MEXIQUE/*MEXICO*

Blachere Illuminación Mexicó - Luces Feliz
3 Oriente No. 416 Centro. 74200 Atlixco, Puebla
tel : +52 244 44 51 281
email : contacto@blachere.com.mx
Web : https://blachere.com.mx

MOYEN-ORIENT/*MIDDLE EAST*

Blachere Illumination Middle East
FAB Property Management Buildings
Building 22 Warehouse 3 DIP 1
tel : +971 4 254 8856
email : m.soltay@blachere-illumination.ae

NORVÈGE/*NORWAY*

Blachere Illumination Norway - Eurosign
Stanseveien 21, 0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no

PAYS-BAS/*NETHERLANDS*

Blachere Illumination Netherlands - Avontuur
Blokdijk 3 - 1608 HH Wijdenes
tel : +31 229 50 12 22
email : info@avontuur.net

POLOGNE/*POLAND*

Blachere Illumination Polska
Jasna 39 - 86-070 Czemlewo
tel : 48668318492
email : info@blachere-illumination.pl

PORTUGAL/*PORTUGAL*

Blachere illumination - Design Studio
Rua Pedro Nunes
IPN Aceleradora Edifício D - Sala 1.15
3030-199 Coimbra, Portugal
design@blachere-illumination.pt
Tel: 00351 239 134 384

RÉP. TCHÈQUE/*CZECH REPUBLIC*

Blachere Illumination Czech Republic
Ostrá Horka I/511 - 760 01 Zlín
tel : 420602227226
email : pesek@blachere-illuminations.cz

ROUMANIE/*ROMANIA*

Blachere Illumination Romania
Cluj Napoca, Str. Anatole France,nr. 22, et. 2
birou 2, Judetul Cluj, cod postal 400463
tel : +40 75 705 08 66
email : office@blachere-illumination.ro
fax :+40 31 845 13 73

ROYAUME-UNI/*UK*

Blachere Illumination UK Ltd
Baird Road, Eastfield Industrial Estate,
Fife, KY7 4PA
tel : +44 (0)1337 832 910
email : sales@blachere-illumination.co.uk
Web : www.blachere-illumination.co.uk

SUÈDE/*SWEDEN*

Blachere Sweden AB
C/O Arena Sergel, Malmskillnadsgatan 36
11157 Stockholm
tel : +46 (0)72 601 66 46
email : info@blachere-illumination.se


SUISSE/*SWITZERLAND*

Blachere Illumination Swiss SA
Rue du Châtelard 18 1400 Yverdon-les-Bains
tel : +41 21 886 30 80
email : office@blachere-illumination.ch
Web : www.blachere-illumination.ch

TURQUIE/*TURKEY*

Blachere Illumination Aydınlatma
Hasanpaşa Mh. Lavanta Sk. Polat İs Merk.26/3,
Kadıköy-Istanbul
tel : +90 532 660 69 23
email : msoltay@blachere-illumination.com.tr

Blachere FRANCE



- **Directeur des ventes France :**
  Christophe Rey • 06 30 07 35 31
- **Responsable régional Nord :**
  Joao Vitoria • 06 74 35 65 68
- **Responsable régional Centre :**
  Sébastien Bouvet • 06 08 80 47 66
- **Responsable régionale Sud :**
  Aude Grojsman • 06 74 48 50 41
- **Directrice administration des ventes :**
  Géraldine Lê • 04 90 74 73 23
- **Blachere Illumination France Régions :**
  Alexandre Thanh • 06 80 15 11 25
  • 04 48 06 50 95
- **Blachere Illumination Shopping Center :**
  Corinne Garcia • 06 78 39 56 74

Paris intramuros
Cédric Parcineau • 01 42 77 66 15 / 07 77 26 37 76
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Île-de-France Est
Sophie Duquesnoy • 06 08 00 57 52
Assistante, Sarah Galizzi • 04 90 74 73 61

Île-de-France Ouest
Véronique René • 06 08 80 47 65
Assistante, Sarah Galizzi • 04 90 74 73 61

Nord - Picardie
Barbara Gheysens • 06 31 59 64 07
Assistante, Anaïs Truphémus • 04 90 74 73 94

Champagne - Ardennes
Matthieu Mairie • 06 79 47 06 26
Assistante, Anaïs Truphémus • 04 90 74 73 94

Alsace - Lorraine
Olivier Radreaux • 06 07 67 39 46
Assistant, Vincent Vicari • 04 90 74 70 47

Savoie - Haute Savoie
Maëva Rigoureau • 06 42 56 43 70
Assistante, Nadège David • 04 90 74 73 60

Rhône - Sud Bourgogne - Jura - Isère - Loire
Soizic De Vanel • 06 70 12 41 62
Assistante, Delphine Borel • 04 90 74 96 24

Bourgogne - Centre - Limousin - Auvergne
Maxime Bavouzet • 06 78 52 33 82
Assistante, Marianne Fabi • 04 90 74 73 90

Bouches-du-Rhône - Var
Xavier Le Penven • 06 84 02 80 04
Assistante, Delphine Borel • 04 90 74 96 24

Côte d'Azur - Monaco
Jérôme Falin • 06 37 62 41 21
Assistante, Stéphanie Imbert • 04 90 74 96 22

Vaucluse - Ardèche - Cantal - Haute Loire - Drôme
Delphine Ha • 06 48 79 99 62
Assistante Delphine Borel • 04 90 74 96 24

Occitanie - Pyrénées - Méditerranée - Aveyron
Justine Gaussen • 06 47 04 59 85
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Sud-Ouest
Nicolas Montenon • 07 85 88 19 50
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Pays de Loire - Poitou
Sophie Pintiaux • 06 85 23 77 43
Assistante, Stéphanie Imbert • 04 90 74 96 22

Bretagne - Basse Normandie
Ludovic Martin • 06 30 07 35 09
Assistante, Nadège David • 04 90 74 73 60

Corse
M. Gabbiati Fabrice • 06 29 31 51 19
Nadège Dauberte • 04 90 74 73 63


blachere®
illumination



Blachere Illumination Canada
3400 14th Avenue, Unit 18, Markham, Ontario L3R 0H7
Tel : +1-905-475-6553

blachere-illumination.ca